

DIAMOND TESTING GENERAL REPORT

Jake Fahrenbruch, Tester

Cell: (620) 282-8977 / Office: (800) 542-7313



TEST INFORMATION


Well Name	Stacy #1-24
Company Name	Berexco, LLC
Formation	Marmaton 4578'-4610'
Test Type	Bottom-Hole DST w/J&J
Surface Location	Sec 24-26s-34w-Finney Co.-KS
KB Elevation (SL)	2946.000
Gauge Name	Inside 5951
Start Test Date	2015/01/10
Start Test Time	12:13:00
Final Test Date	2015/01/11
Final Test Time	01:55:00
Job Number	F367
Contact	Evan Mayhew
Site Contact	Ed Grieves

TEST RESULTS

Initial flow, BOB in 18 minutes. No blowback.
Final flow, BOB in 27 minutes. No blowback.

Recovered 850' of water.
Chlorides: 51,000 PPM
RW: .18 ohm @ 57 Deg F
PH: 7.5

DST #1, MARMATON





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: STACY1DST1

ON LOCATION:	<u>09:40</u>	<u>1-10</u>
START RECORDERS:	<u>12:13</u>	<u>1-10</u>
STOP RECORDERS:	<u>01:55</u>	<u>1-11</u>

Company BEREXCO, LLC Lease & Well No. STACY #1-24
Contractor BEREDCO, LLC RIG # 1 Charge to BEREXCO, LLC
Elevation 2946' KB Formation MARMATON Effective Pay _____ Ft. Ticket No. F367
Date 1-10-15 Sec. 24 Twp. 26S Range 34W County FINNEY State KANSAS
Test Approved By ED GRIEVES Diamond Representative _____ JAKE FAHRENBRUCH

Formation Test No. 1 Interval Tested from 4578 ft. to 4610 ft. Total Depth 4610 ft.
Packer Depth 4573 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 4578 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4556 ft. Recorder Number 5951 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 4579 ft. Recorder Number 5584 Cap. 5000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 52 (2"CM) Drill Collar Length 622 ft. I.D. 2 1/4 in.
Weight 9.2 Water Loss 9.6 cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.
Chlorides 3700 P.P.M. Drill Pipe Length 3923 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number J&J #5 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
Did Well Flow? _____ Reversed Out _____ Anchor Length 32 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2"XM in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: BOB 18 MINUTES. NO B.B.
2nd Open: BOB 27 MINUTES. NO B.B.

Recovered 850 of WATER
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____


Price Job
ACCES CHGE / 16 1/3 HR
Other Charges / ON LOC
JARS & S. JNT.
294 MRT (PRAT)
Total

Remarks: CHLORIDES: 51,000 PPM
RW: .18-2 @ 57°F
PH: 7 1/2

Time Set Packer(s) 5:06 ^{AM}/_{P.M.} Time Started Off Bottom 9:36 ^{AM}/_{P.M.} Maximum Temperature 121°F
Initial Hydrostatic Pressure..... (A) 2206 P.S.I.
Initial Flow Period..... Minutes 30 (B) 13 P.S.I. to (C) 225 P.S.I.
Initial Closed In Period..... Minutes 60 (D) 1301 P.S.I.
Final Flow Period..... Minutes 60 (E) 230 P.S.I. to (F) 410 P.S.I.
Final Closed In Period..... Minutes 120 (G) 1298 P.S.I. **THANKS!**
Final Hydrostatic Pressure..... (H) 2196 P.S.I. *Jacob S. Fahrenbruch*

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

DST #1, MARMATON





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: STACY1DST1

TIME ON: 12:13 1/10
TIME OFF: 01:55 1/11

Company Berexco, LLC Lease & Well No. Stacy #1-24
Contractor Beredco, LLC Rig # 1 Charge to Berexco, LLC
Elevation 2946' KB Formation Marmaton Effective Pay _____ Ft. Ticket No. F367
Date 1/10/15 Sec. 24 Twp. 26s S Range 34w W County Finney State KANSAS
Test Approved By Ed Grieves Diamond Representative Jake Fahrenbruch

Formation Test No. 1 Interval Tested from 4578 ft. to 4610 ft. Total Depth 4610 ft.
Packer Depth 4573 ft. Size 6 3/4 in. Packer depth ----- ft. Size 6 3/4 in.
Packer Depth 4578 ft. Size 6 3/4 in. Packer depth ----- ft. Size 6 3/4 in.
Depth of Selective Zone Set -----

Top Recorder Depth (Inside) 4556 ft. Recorder Number 5951 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 4579 ft. Recorder Number 5584 Cap. 5000 P.S.I.
Below Straddle Recorder Depth ----- ft. Recorder Number ----- Cap. ----- P.S.I.
Mud Type Chemical Viscosity 52 (2# LCM) Drill Collar Length 622 ft. I.D. 2 1/4 in.
Weight 9.2 Water Loss 9.6 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 3,700 P.P.M. Drill Pipe Length 3,923 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number #5 J&J Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 32 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. ALL PERF Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: BOB 18 minutes. No BB
2nd Open: BOB 27 minutes. No BB

Recovered 850 ft. of Water
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Remarks: Chlorides: 51,000 PPM
RW: .18 ohm @ 57 Deg F
PH: 7.5

Time Set Packer(s) 5:06 PM A.M. P.M. Time Started Off Bottom 9:36 PM A.M. P.M. Maximum Temperature 121 F

Initial Hydrostatic Pressure..... (A) 2206 P.S.I.
Initial Flow Period..... Minutes 30 (B) 13 P.S.I. to (C) 225 P.S.I.
Initial Closed In Period..... Minutes 60 (D) 1301 P.S.I.
Final Flow Period..... Minutes 60 (E) 230 P.S.I. to (F) 410 P.S.I.
Final Closed In Period..... Minutes 120 (G) 1298 P.S.I.
Final Hydrostatic Pressure..... (H) 2196 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.