

# Diamond Testing

## General information Report

### General Information

**Company Name** BEREXCO LLC

<b>Contact</b>	PETE WILSON	<b>Job Number</b>	
<b>Well Name</b>	EJH #1-22	<b>Representative</b>	ROGER D. FRIEDLY
<b>Unique Well ID</b>	DST #2 K.C. 'B' 4,679' - 4,690'	<b>Well Operator</b>	BEREXCO LLC
<b>Surface Location</b>	SEC 22-30S-33W HASKELL COUNTY, KS	<b>Report Date</b>	2011/05/16
<b>Well License Number</b>		<b>Prepared By</b>	ROGER D. FRIEDLY
<b>Field</b>	VICTORY		
<b>Well Type</b>	Vertical		

<b>Test Type</b>	CONVENTIONAL DRILL-STEM TEST		
<b>Formation</b>	DST #2 K.C. 4,679' - 4,690'		
<b>Well Fluid Type</b>	01 Oil	<b>Start Test Time</b>	23:55:00
		<b>Final Test Time</b>	11:38:00
<b>Start Test Date</b>	2011/05/15		
<b>Final Test Date</b>	2011/05/16		
<b>Gauge Name</b>	1150		
<b>Gauge Serial Number</b>			

### Test Results


**RECOVERED:** GAS TO SURFACE ON FINAL SHUT-IN  
136' G&OCWM 6% GAS, 12% OIL, 14% WTR, 68% MUD  
46' SLTOCMW 2% OIL, 73% WTR, 25% MUD  
276' SW 100% WTR - OIL SPECKS  
458' TOTAL FLUID

SOME FREE OIL ON TOP DRILL COLLAR - NOT DRAINING

CHLORIDES: 100,000 Ppm  
PH 6.5  
RW .06 @ 80 deg.

TOOL SAMPLE: 100% SW FEW OIL SPECKS

# EJH #1-22





**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313

**DRILL -STEM TEST TICKET**

Company \_\_\_\_\_ Lease & Well No. \_\_\_\_\_  
Contractor \_\_\_\_\_ Charge to \_\_\_\_\_  
Elevation \_\_\_\_\_ Formation \_\_\_\_\_ Effective Pay \_\_\_\_\_ Ft. Ticket No. \_\_\_\_\_  
Date \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S Range \_\_\_\_\_ W County \_\_\_\_\_ State KANSAS  
Test Approved By \_\_\_\_\_ Diamond Representative ROGER D. FRIEDLY

Formation Test No. \_\_\_\_\_ Interval Tested from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Total Depth \_\_\_\_\_ ft.  
Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.  
Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.  
Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.  
Bottom Recorder Depth (Outside) \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type \_\_\_\_\_ Viscosity \_\_\_\_\_ Drill Collar Length \_\_\_\_\_ ft. I.D. 2 1/4 in.  
Weight \_\_\_\_\_ Water Loss \_\_\_\_\_ cc. Weight Pipe Length \_\_\_\_\_ ft. I.D. 2 7/8 in.  
Chlorides \_\_\_\_\_ P.P.M. Drill Pipe Length \_\_\_\_\_ ft. I.D. 3 1/2 in.  
Jars: Make BOWEN Serial Number \_\_\_\_\_ Test Tool Length \_\_\_\_\_ ft. Tool Size 3 1/2-IF in.  
Did Well Flow? \_\_\_\_\_ Reversed Out \_\_\_\_\_ Anchor Length \_\_\_\_\_ ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: \_\_\_\_\_  
2nd Open: \_\_\_\_\_

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Remarks: _____ _____	Price Job
	Other Charges
	Insurance
	Total

Time Set Packer(s) \_\_\_\_\_ A.M. P.M. Time Started Off Bottom \_\_\_\_\_ A.M. P.M. Maximum Temperature \_\_\_\_\_  
Initial Hydrostatic Pressure ..... (A) \_\_\_\_\_ P.S.I.  
Initial Flow Period ..... Minutes (B) \_\_\_\_\_ P.S.I. to (C) \_\_\_\_\_ P.S.I.  
Initial Closed In Period ..... Minutes (D) \_\_\_\_\_ P.S.I.  
Final Flow Period ..... Minutes (E) \_\_\_\_\_ P.S.I. to (F) \_\_\_\_\_ P.S.I.  
Final Closed In Period ..... Minutes (G) \_\_\_\_\_ P.S.I.  
Final Hydrostatic Pressure ..... (H) \_\_\_\_\_ P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.