





**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

McCoy Petroleum Corp

**Knoll "A" #1-28**

8080 E. Central  
Ste 300  
Wichita Ks 67206-2366  
ATTN:

**28-10s-25w Graham**

Job Ticket: 43432      **DST#: 1**

Test Start: 2011.07.24 @ 08:15:42

## Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 57.00 sec/qt	Cushion Volume: bbl		
Water Loss: 11.14 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 1700.00 ppm			
Filter Cake: 1.00 inches			

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
49.00	MGO 5%G55%O40%M	0.414
1.00	CO	0.014
0.00	110'GIP	0.000

Total Length: 50.00 ft      Total Volume: 0.428 bbl

Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:

Laboratory Name:      Laboratory Location:

Recovery Comments:

### Pressure vs. Time

