

DIAMOND TESTING

General Information Report

General Information

Company Name	GRAND MESA OPERATING CO.	Representative	TIM VENTERS
Contact	RONALD SINCLAIR	Well Operator	GRAND MESA OPERATING CO.
Well Name	DICKMAN #7-17	Report Date	2012/02/29
Unique Well ID	DST #2, MISSISSIPPIAN, 4379-4423	Prepared By	TIM VENTERS
Surface Location	SEC 17-17S-24W, NESS CO. KS.	Qualified By	KENT MATSON
Field	DICKMAN		
Well Type	Vertical		
Test Type	CONVENTIONAL		
Formation	DST #2, MISSISSIPPIAN, 4379-4423		
Well Fluid Type	01 Oil		
Start Test Date	2012/02/28	Start Test Time	19:24:00
Final Test Date	2012/02/29	Final Test Time	04:31:00

Test Recovery:

RECOVERED: 120' GAS IN PIPE
135' CLEAN OIL, 100% OIL GRAVITY: 35
65' HMCO, 60% OIL, 40% MUD
120' G, VHOCM, 13% GAS, 42% OIL, 45% MUD
120' G, O&WCM, 13% GAS, 16% OIL, 26% WATER, 45% MUD


TOOL SAMPLE: 42% OIL, 25% WATER, 33% MUD

CHLORIDES: 11,000 ppm
PH: 7.0
RW: .44 @ 78 deg.

GRAND MESA OPERATING CO.
DST #2, MISSISSIPPIAN, 4379-4423
Start Test Date: 2012/02/28
Final Test Date: 2012/02/29

DICKMAN #7-17
Formation: DST #2, MISSISSIPPIAN, 4379-4423
Pool: DICKMAN
Job Number: T023

DICKSON #7-17





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: _____

TIME ON: _____
TIME OFF: _____

Company _____ Lease & Well No. _____
Contractor _____ Charge to _____
Elevation _____ Formation _____ Effective Pay _____ Ft. Ticket No. _____
Date _____ Sec. _____ Twp. _____ S Range _____ W County _____ State **KANSAS**
Test Approved By _____ Diamond Representative _____

Formation Test No. _____ Interval Tested from _____ ft. to _____ ft. Total Depth _____ ft.
Packer Depth _____ ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth _____ ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Depth of Selective Zone Set _____

Top Recorder Depth (Inside) _____ ft. Recorder Number _____ Cap. _____ P.S.I.
Bottom Recorder Depth (Outside) _____ ft. Recorder Number _____ Cap. _____ P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type _____ Viscosity _____ Drill Collar Length _____ ft. I.D. 2 1/4 in.
Weight _____ Water Loss _____ cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.
Chlorides _____ P.P.M. Drill Pipe Length _____ ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number _____ Test Tool Length _____ ft. Tool Size 3 1/2-IF in.
Did Well Flow? _____ Reversed Out _____ Anchor Length _____ ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: _____
2nd Open: _____

Recovered _____ ft. of _____	Price Job Other Charges Insurance Total
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Remarks: _____	

Time Set Packer(s) _____ A.M. P.M. Time Started Off Bottom _____ A.M. P.M. Maximum Temperature _____
Initial Hydrostatic Pressure..... (A) _____ P.S.I.
Initial Flow Period..... Minutes _____ (B) _____ P.S.I. to (C) _____ P.S.I.
Initial Closed In Period..... Minutes _____ (D) _____ P.S.I.
Final Flow Period..... Minutes _____ (E) _____ P.S.I. to (F) _____ P.S.I.
Final Closed In Period..... Minutes _____ (G) _____ P.S.I.
Final Hydrostatic Pressure..... (H) _____ P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.