



DRILL STEM TEST REPORT

FLUID SUMMARY

FG Holl Company LLC

5/23S/21W/Hodgeman

9431 East Central
Suite 100
Wichita, Kansas 67206+2563
ATTN: Frank Greenbaum

Bauer Unit A #1-5
Job Ticket: 17160 DST#: 2
Test Start: 2012.02.17 @ 12:57:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 51.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.38 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psia		
Salinity: 5100.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
15.00	Mud 100% w with show of oil in tool	0.219

Total Length: 15.00 ft Total Volume: 0.219 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

Serial #: 6749

Outside

FG Hall Company LLC

Bauer Unit A #1-5

DST Test Number: 2

Pressure vs. Time

