



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Shakespeare Oil
202 West Main St
Salem, IL
62881
ATTN: Steve Davis


Ottley #6-15
15-14s-32w Logan, Ks
Job Ticket: 039610 **DST#: 1**
Test Start: 2010.08.02 @ 16:47:30

GENERAL INFORMATION:

Formation: **B-C**
Deviated: No Whipstock: ft (KB)
Time Tool Opened:
Time Test Ended: 18:20:45
Interval: **3762.00 ft (KB) To 3810.00 ft (KB) (TVD)**
Total Depth: 3810.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair
Test Type: Conventional Bottom Hole
Tester: Shane McBride
Unit No: 40
Reference Elevations: 2739.00 ft (KB)
2729.00 ft (CF)
KB to GR/CF: 10.00 ft

Serial #: 6667 Inside
Press @ Run Depth: psig @ 3763.00 ft (KB) Capacity: 8000.00 psig
Start Date: 2010.08.02 End Date: 2010.08.02 Last Calib.: 2010.08.02
Start Time: 16:47:30 End Time: 18:20:45 Time On Btm: 2010.08.02 @ 17:50:00
Time Off Btm: 2010.08.02 @ 17:53:45

TEST COMMENT: Hit bridge @ 1690' pull tool to condition hole



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	796.36	98.97	Initial Hydro-static
4	656.10	98.87	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Shakespeare Oil

Ottley #6-15

202 West Main St
Salem, IL
62881
ATTN: Steve Davis

15-14s-32w Logan, Ks

Job Ticket: 039610 **DST#: 1**

Test Start: 2010.08.02 @ 16:47:30

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	0 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	0 ppm
Viscosity: 51.00 sec/qt	Cushion Volume: bbl		
Water Loss: in ³	Gas Cushion Type:		
Resistivity: 0.00 ohm.m	Gas Cushion Pressure: psig		
Salinity: ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl

Total Length: ft Total Volume: bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

