



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco LLC

28-18s-31w Scott, KS

2020 N Bramblewood
Wichita, KS 67206

Huslig 2-28

Job Ticket: 46506

DST#: 1

ATTN: Edwin Grieves

Test Start: 2012.05.01 @ 15:29:02

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

34000 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.97 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 1000.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
93.00	mcw 60%w 40%m	0.457
186.00	mw 50%w 50%m	0.915

Total Length: 279.00 ft Total Volume: 1.372 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: .24@62=34000

Pressure vs. Time

