



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

Stelbar Oil Corp. Inc.
1625 N Waterfront PKWY
#200 Wichita KS
67206
ATTN: Larry Friend

17-29s-41w Stanton Co KS
Bird 1-17
Job Ticket: 48397 DST#: 1
Test Start: 2012.07.12 @ 14:35:15


GENERAL INFORMATION:

Formation: **Keys**
Deviated: **No** Whipstock: **ft (KB)**
Time Tool Opened: 18:32:45
Time Test Ended: 02:52:00
Interval: **5337.00 ft (KB) To 5447.00 ft (KB) (TVD)**
Total Depth: **5447.00 ft (KB) (TVD)**
Hole Diameter: **7.88 inches** Hole Condition: **Fair**

Test Type: **Conventional Straddle (Initial)**
Tester: **Mike Roberts**
Unit No: **48**
Reference Elevations: **3431.00 ft (KB)**
3421.00 ft (CF)
KB to GR/CF: **10.00 ft**

Serial #: **6668** **Outside**
Press@RunDepth: **70.77 psig @ 5342.00 ft (KB)**
Start Date: **2012.07.12** End Date: **2012.07.13** Capacity: **8000.00 psig**
Start Time: **14:35:15** End Time: **02:52:00** Last Calib.: **2012.07.13**
Time On Btm: **2012.07.12 @ 18:32:30**
Time Off Btm: **2012.07.12 @ 23:35:15**

TEST COMMENT: **IF: Built to 1/2" blow then died to w eaksurface blow**
IS: No return blow
FF: No blow
FS: No return blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2794.89	127.51	Initial Hydro-static
1	58.22	126.15	Open To Flow (1)
32	79.50	129.33	Shut-in(1)
92	131.27	130.54	End Shut-in(1)
93	69.41	130.71	Open To Flow (2)
119	70.77	130.92	Shut-in(2)
301	151.77	132.26	End Shut-in(2)
303	2676.77	133.26	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	mud 100% m	0.05

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Stelbar Oil Corp. Inc.
1625 N Waterfront PKWY
#200 Wichita KS
67206
ATTN: Larry Friend

17-29s-41w Stanton Co KS
Bird 1-17
Job Ticket: 48397 **DST#: 1**
Test Start: 2012.07.12 @ 14:35:15


GENERAL INFORMATION:

Formation: **Keys**
Deviated: No Whipstock: ft (KB)
Time Tool Opened: 18:32:45
Time Test Ended: 02:52:00
Interval: **5337.00 ft (KB) To 5447.00 ft (KB) (TVD)**
Total Depth: **5447.00 ft (KB) (TVD)**
Hole Diameter: **7.88 inches** Hole Condition: Fair
Test Type: **Conventional Straddle (Initial)**
Tester: **Mike Roberts**
Unit No: **48**
Reference Elevations: **3431.00 ft (KB)**
3421.00 ft (CF)
KB to GR/CF: **10.00 ft**

Serial #: 8736

Press@RunDepth: psig @ ft (KB)
Start Date: 2012.07.12 End Date: 2012.07.13 Capacity: 8000.00 psig
Start Time: 14:34:15 End Time: 02:50:30 Last Calib.: 2012.07.13
Time On Btm: Time Off Btm:

TEST COMMENT: IF: Built to 1/2" blow then died to weak surface blow
IS: No return blow
FF: No blow
FS: No return blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
10.00	mud 100% m	0.05

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Stelbar Oil Corp. Inc.

17-29s-41w Stanton Co KS

1625 N Waterfront PKWY
#200 Wichita KS
67206

Bird 1-17

Job Ticket: 48397

DST#: 1

ATTN: Larry Friend

Test Start: 2012.07.12 @ 14:35:15

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 62.00 sec/qt

Cushion Volume:

bbf

Water Loss: 7.19 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 400.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbf
10.00	mud 100% m	0.049

Total Length: 10.00 ft

Total Volume: 0.049 bbf

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:


Recovery Comments:

Serial #: 6668

Outside Stebar Oil Corp. Inc.

Blrd 1-17

DST Test Number: 1



Triobite Testing, Inc

Ref. No: 48397


Printed: 2012.07.13 @ 04:08:16

Serial #: 8736

Selbar Oil Corp. Inc.

Bird 1-17

DST Test Number: 1



Trilobite Testing, Inc

Ref. No: 48397


Printed: 2012.07.13 @ 04:08:17

Serial #: 8646

Stelbar Oil Corp. Inc.

Bird 1-17

DST Test Number: 1



Trilobite Testing, Inc

Ref. No: 48397

Printed: 2012.07.13 @ 04:08:17