



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Becker Oil Corporation

26-24s-24w ,Hodgeman, Ks

P.O. box 1150
Ponca City, Ok 74602

Olsen #1

Job Ticket: 46216

DST#: 3

ATTN: Clyde Becker

Test Start: 2011.12.19 @ 05:35:00

GENERAL INFORMATION:

Formation: **Lower Cherokee**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 09:06:00

Time Test Ended: 14:19:00

Test Type: Conventional Bottom Hole (Reset)

Tester: Brett Dickinson

Unit No: 47

Interval: 4759.00 ft (KB) To 4820.00 ft (KB) (TVD)

Reference Elevations: 2473.00 ft (KB)

Total Depth: 4820.00 ft (KB) (TVD)

2466.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 7.00 ft

Serial #: 6753

Inside

Press @ Run Depth: 82.81 psig @ 4760.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2011.12.19

End Date: 2011.12.19

Last Calib.: 2011.12.19

Start Time: 05:35:05


End Time: 14:19:00

Time On Btm: 2011.12.19 @ 09:04:30

Time Off Btm: 2011.12.19 @ 11:24:30

TEST COMMENT: IF-1in blow
ISI-No blow
FF-No blow flush tool very weak surface blow died in 6min
FSI-No blow

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2486.46	106.73	Initial Hydro-static
2	65.40	105.64	Open To Flow (1)
35	71.54	108.07	Shut-In(1)
76	1082.66	110.12	End Shut-In(1)
85	60.30	109.92	Open To Flow (2)
103	82.81	110.90	Shut-In(2)
129	690.63	111.90	End Shut-In(2)
140	2244.04	112.71	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
45.00	mud	0.63

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Becker Oil Corporation

26-24s-24w, Hodgeman, Ks

P.O. box 1150
Ponca City, Ok 74602

Olsen #1

Job Ticket: 46216

DST#: 3

ATTN: Clyde Becker

Test Start: 2011.12.19 @ 05:35:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 51.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.59 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 8800.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
45.00	mud	0.631

Total Length: 45.00 ft Total Volume: 0.631 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 6753


Inside

Becker Oil Corporation

Olsen #1

DST Test Number: 3

Pressure vs. Time



Triobite Testing, Inc

Ref. No: 46216

Printed: 2011.12.19 @ 14:46:27