



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Klabzuba Oil & Gas Inc
 700 17th St. STE 1300
 Denver, CO 80202
 ATTN: Richard Bell

5/4s/25w Norton KS

Brooks #5-9-4-25

Job Ticket: 45558

DST#: 3

Test Start: 2012.01.20 @ 09:44:00

GENERAL INFORMATION:

Formation: **LKC "F - H"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 11:53:30
 Time Test Ended: 17:05:00
 Interval: **3597.00 ft (KB) To 3670.00 ft (KB) (TVD)**
 Total Depth: 3670.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: James Winder
 Unit No: 57
 Reference Elevations: 2500.00 ft (KB)
 2493.00 ft (CF)
 KB to GR/CF: 7.00 ft


Serial #: 6719

Inside

Press @ Run Depth: 25.46 psig @ 3598.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2012.01.20 End Date: 2012.01.20 Last Calib.: 2012.01.20
 Start Time: 09:44:05 End Time: 17:04:59 Time On Btm: 2012.01.20 @ 11:50:00
 Time Off Btm: 2012.01.20 @ 14:29:00

TEST COMMENT: 30 - IF: Blow built to 1 1/2" (Diesel in Bucket)
 45 - IS: Bled off, No blow back
 30 - FF: No blow
 45 - FS: No blow back

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1776.97	92.46	Initial Hydro-static
4	14.27	93.11	Open To Flow (1)
34	20.03	93.23	Shut-In(1)
78	968.95	94.01	End Shut-In(1)
79	21.61	93.84	Open To Flow (2)
108	25.46	94.24	Shut-In(2)
155	856.84	95.04	End Shut-In(2)
159	1760.86	94.44	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
20.00	Mud w /oil spots 98%m, 2%o	0.10

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Klabzuba Oil & Gas Inc

5/4s/25w Norton KS

700 17th St. STE 1300
Denver, CO 80202

Brooks #5-9-4-25

ATTN: Richard Bell


Job Ticket: 45558 **DST#: 3**
Test Start: 2012.01.20 @ 09:44:00

GENERAL INFORMATION:

Formation: **LKC "F - H"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 11:53:30
 Time Test Ended: 17:05:00
Interval: 3597.00 ft (KB) To 3670.00 ft (KB) (TVD)
 Total Depth: 3670.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: James Winder
 Unit No: 57
 Reference Elevations: 2500.00 ft (KB)
 2493.00 ft (CF)
 KB to GR/CF: 7.00 ft

Serial #: 8320 Outside
 Press @ Run Depth: psig @ 3598.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2012.01.20 End Date: 2012.01.20 Last Calib.: 2012.01.20
 Start Time: 09:44:05 End Time: 17:04:29 Time On Btm:
 Time Off Btm:

TEST COMMENT: 30 - IF: Blow built to 1 1/2" (Diesel in Bucket)
 45 - IS: Bled off, No blow back
 30 - FF: No blow
 45 - FS: No blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
20.00	Mud w /oil spots 98%m, 2%o	0.10

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Klabzuba Oil & Gas Inc

5/4s/25w Norton KS

700 17th St. STE 1300
Denver, CO 80202

Brooks #5-9-4-25

Job Ticket: 45558

DST#: 3

ATTN: Richard Bell

Test Start: 2012.01.20 @ 09:44:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 52.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.40 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1100.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	Mud w /oil spots 98% _m , 2% _o	0.098

Total Length: 20.00 ft Total Volume: 0.098 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: Sampler = 150 PSI 1900 ML mud 100 ML oil


Serial #: 6719

Inside

Klabzuba Oil & Gas Inc

Brooks #5-9-4-25

DST Test Number: 3



Triobite Testing, Inc

Ref. No: 45558

Printed: 2012.01.21 @ 09:32:24

Serial #: 8320

Outside Klabzuba Oil & Gas Inc

Brooks #5-9-4-25

DST Test Number: 3

