



**TRILOBITE TESTING, INC.**

# DRILL STEM TEST REPORT

Strata Expl.Inc.

**6-27s-19w Kiowa Ks.**

P.O.Box 401  
Fairfield Il. 62837

**Rose#1-6**

Job Ticket: 47584

**DST#: 3**

ATTN: Jon Christensen

Test Start: 2012.07.21 @ 22:05:45

## GENERAL INFORMATION:

Formation: **Miss.**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:56:00

Time Test Ended: 05:28:45

Test Type: Conventional Bottom Hole (Reset)

Tester: Gary Pevoteaux

Unit No: 56

**Interval: 4770.00 ft (KB) To 4829.00 ft (KB) (TVD)**

Reference Elevations: 2263.00 ft (KB)

Total Depth: 4829.00 ft (KB) (TVD)

2252.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 11.00 ft

**Serial #: 8352 Outside**

Press @ Run Depth: 25.45 psig @ 4771.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2012.07.21

End Date:

2012.07.22

Last Calib.:

2012.07.22

Start Time: 22:05:50

End Time:

05:28:44

Time On Btm:

2012.07.22 @ 00:54:15

Time Off Btm:

2012.07.22 @ 02:59:45


TEST COMMENT: IF:Weak blow . 1/2" decreasing.

IS:No blow .

FF:No blow .

FS:No blow .

## PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2322.06	115.32	Initial Hydro-static
2	22.48	114.75	Open To Flow (1)
19	23.68	114.60	Shut-In(1)
60	67.89	115.21	End Shut-In(1)
60	25.08	115.19	Open To Flow (2)
80	25.45	115.70	Shut-In(2)
124	38.69	116.90	End Shut-In(2)
126	2263.60	118.80	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
5.00	Drig.mud	0.02

\* Recovery from multiple tests

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



