



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Mikol Oil LLC
1407 Washington Cir
Hays KS 67601
ATTN: Marc Downing

34-10s-17w, Rooks, KS
Richmond #3-34
Job Ticket: 50282 **DST#: 3**
Test Start: 2013.04.17 @ 13:05:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API: 19 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: ppm
Viscosity: 52.00 sec/qt	Cushion Volume: bbl	
Water Loss: 8.79 in ³	Gas Cushion Type:	
Resistivity: ohm.m	Gas Cushion Pressure: psig	
Salinity: 5000.00 ppm		
Filter Cake: inches		

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
180.00	VSOWCM 5%O 20%W 75%M	2.252
125.00	SOWCM 10%O 50%M 40%W	1.753
145.00	SGO 5%G 95%O	2.034

Total Length: 450.00 ft Total Volume: 6.039 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:

