



**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: JHNSNB4DST2

TIME ON: 2335 (9/9)  
TIME OFF: 0545 (9/10)

Company VESS OIL CORPORATION Lease & Well No. JOHANSEN B #4  
Contractor L.D. DRLG RIG 1 Charge to VESS OIL CORPORATION  
Elevation 2099 KB Formation LKC:G ZN Effective Pay \_\_\_\_\_ Ft. Ticket No. M543  
Date 9/9/2013 Sec. 34 Twp. \_\_\_\_\_ 11 S Range \_\_\_\_\_ 17 W County ELLIS State KANSAS  
Test Approved By ROGER MARTIN Diamond Representative MIKE COCHRAN

Formation Test No. 2 Interval Tested from 3365 ft. to 3419 ft. Total Depth 3419 ft.  
Packer Depth 3360 ft. Size 6 3/4 in. Packer depth N/A ft. Size 6 3/4 in.  
Packer Depth 3365 ft. Size 6 3/4 in. Packer depth NA ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 3347 ft. Recorder Number 0063 Cap. 3603 P.S.I.  
Bottom Recorder Depth (Outside) 3419 ft. Recorder Number 6884 Cap. 6,275 P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEM Viscosity 51 Drill Collar Length 0 ft. I.D. 2 1/4 in.  
Weight 9.1 Water Loss 7.2 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.  
Chlorides 3,600 P.P.M. Drill Pipe Length 3333 ft. I.D. 3 1/2 in.  
Jars: Make STERLING Serial Number 1 Test Tool Length 32 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? NO Reversed Out NO Anchor Length 54 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. 32' DP Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WSB, INC. TO 3/4" (NO BB)  
2nd Open: VWSB, INC. TO 1/4" THEN DIMINISHING UNTIL DEAD @ 15 MIN (NO BB)

Recovered <u>12</u> ft. of <u>DM 100% MUD W/ A FEW SPOTS OF OIL ON TOP</u>	Price Job Other Charges Insurance Total
Recovered <u>12</u> ft. of <u>TOTAL FLUID</u>	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Remarks: _____	
TOOL SAMPLE: <u>100% MUD W/ A FEW SPOTS OF OIL</u>	

Time Set Packer(s) 1:15 A.M. A.M. P.M. Time Started Off Bottom 3:45 A.M. A.M. P.M. Maximum Temperature 102  
Initial Hydrostatic Pressure..... (A) 1620 P.S.I.  
Initial Flow Period..... Minutes 30 (B) 17 P.S.I. to (C) 20 P.S.I.  
Initial Closed In Period..... Minutes 45 (D) 407 P.S.I.  
Final Flow Period..... Minutes 30 (E) 20 P.S.I. to (F) 22 P.S.I.  
Final Closed In Period..... Minutes 45 (G) 345 P.S.I.  
Final Hydrostatic Pressure..... (H) 1608 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

# DIAMOND TESTING

## Pressure Survey Report

### General Information

Company Name	VESS OIL CORPORATION	Job Number	M543
Well Name	JOHANSEN B #4	Representative	MIKE COCHRAN
Unique Well ID	DST#2 3365-3419 LKC:G ZN	Well Operator	VESS OIL CORPORATION
Surface Location	SEC.34-11S-17W ELLIS CO.KS.	Report Date	2013/09/10
Field	WILDCAT	Prepared By	MIKE COCHRAN
Well Type	Vertical	Qualified By	ROGER MARTIN
		Test Unit	NO. 1

### Test Information

Test Type	CONVENTIONAL		
Formation	DST#2 3365-3419 LKC:G ZN		
Test Purpose (AEUB)	Initial Test		
Start Test Date	2013/09/09	Start Test Time	23:35:00
Final Test Date	2013/09/10	Final Test Time	05:45:00
		Well Fluid Type	01 Oil
Gauge Name	0063		
Gauge Serial Number			

### Test Results

Remarks RECOVERED:  
12' DM 100% DRLG MUD W/ A FEW OIL SPOTS ON TOP  
12' TOTAL FLUID

TOOL SAMPLE: 100% MUD W/ A FEW SPOTS OF OIL

# JOHANSEN B #4

