

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

O'Brian Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

Job Ticket: 55619

DST#: 1

ATTN: Jim Musgrove

Test Start: 2013.12.28 @ 04:20:00

GENERAL INFORMATION:

Formation: **LKC- A & B**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 07:21:00

Time Test Ended: 11:59:00

Test Type: Conventional Bottom Hole (Initial)

Tester: Bradley Walter

Unit No: 69

Interval: **3928.00 ft (KB) To 3976.00 ft (KB) (TVD)**

Reference Elevations: 2853.00 ft (KB)

Total Depth: 3976.00 ft (KB) (TVD)

2848.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

Serial #: **8522** Outside

Press @ Run Depth: 28.96 psig @ 3929.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2013.12.28

End Date:

2013.12.28

Last Calib.:

2013.12.28

Start Time: 04:20:05

End Time:

11:58:59

Time On Btm:


2013.12.28 @ 07:20:45

Time Off Btm:

2013.12.28 @ 10:08:45

TEST COMMENT: IF: 1" blow.
IS: No return.
FF: No blow. Flushed tool, surface blow died.
FS: No return.

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1886.39	105.75	Initial Hydro-static
1	18.19	104.94	Open To Flow (1)
30	21.60	106.70	Shut-In(1)
59	571.99	107.70	End Shut-In(1)
60	22.86	107.57	Open To Flow (2)
105	28.96	109.01	Shut-In(2)
166	644.60	110.50	End Shut-In(2)
168	1868.51	110.75	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
30.00	socm 2o 98m	0.15

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

O'Brian Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

Job Ticket: 55619

DST#: 1

ATTN: Jim Musgrove

Test Start: 2013.12.28 @ 04:20:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 53.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 5.60 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1300.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	socm 2o 98m	0.148

Total Length: 30.00 ft Total Volume: 0.148 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

O'Brian Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

ATTN: Jim Musgrove

Job Ticket: 55625

DST#: 7

Test Start: 2014.01.02 @ 19:31:00


GENERAL INFORMATION:

Formation: **Johnson**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 21:29:45
 Time Test Ended: 02:42:00
 Interval: **4484.00 ft (KB) To 4530.00 ft (KB) (TVD)**
 Total Depth: 4530.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Good
 Test Type: Conventional Bottom Hole (Reset)
 Tester: Bradley Walter
 Unit No: 69
 Reference Elevations: 2853.00 ft (KB)
 2848.00 ft (CF)
 KB to GR/CF: 5.00 ft

Serial #: 8522 Outside

Press @ Run Depth: 69.17 psig @ 4485.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2014.01.02 End Date: 2014.01.03 Last Calib.: 2014.01.03
 Start Time: 19:31:05 End Time: 02:41:59 Time On Btm: 2014.01.02 @ 21:29:30
 Time Off Btm: 2014.01.03 @ 00:22:30

TEST COMMENT: IF: BOB @ 1 min.
 IS: Surface return. Gas to surface.
 FF: BOB 30 sec
 FS: Surface return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2189.77	108.77	Initial Hydro-static
1	21.83	107.63	Open To Flow (1)
32	59.98	114.55	Shut-In(1)
77	207.95	116.16	End Shut-In(1)
78	50.97	116.08	Open To Flow (2)
107	69.17	117.40	Shut-In(2)
173	229.41	119.04	End Shut-In(2)
173	2159.65	119.77	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
135.00	socm 3o 97m	0.66
0.00	Gas to surface, not gaugable	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

O'Brian Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

Job Ticket: 55625

DST#: 7

ATTN: Jim Musgrove

Test Start: 2014.01.02 @ 19:31:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 54.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 5.30 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1500.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
135.00	socm 3o 97m	0.664
0.00	Gas to surface, not gaugable	0.000

Total Length: 135.00 ft

Total Volume: 0.664 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

O'Brien Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

ATTN: Jim Musgrove

Job Ticket: 55624

DST#: 6

Test Start: 2014.01.01 @ 22:07:00

GENERAL INFORMATION:

Formation: **Pawnee - Cherokee**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 01:03:45

Time Test Ended: 08:42:15

Test Type: Conventional Bottom Hole (Reset)

Tester: Bradley Walter

Unit No: 69

Interval: **4383.00 ft (KB) To 4488.00 ft (KB) (TVD)**

Reference Elevations: 2853.00 ft (KB)

Total Depth: 4488.00 ft (KB) (TVD)

2848.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

Serial #: 8522 Outside

Press@RunDepth: 707.04 psig @ 4384.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.01.01 End Date: 2014.01.02


Last Calib.: 2014.01.02

Start Time: 22:07:05 End Time: 08:42:15

Time On Btm: 2014.01.02 @ 01:03:30

Time Off Btm: 2014.01.02 @ 03:47:45

TEST COMMENT: IF: BOB @ 50 sec.
IS: 1" return.
FF: BOB @ 45 sec.
FS: BOB return @ 10 min.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2156.55	109.16	Initial Hydro-static
1	185.71	108.27	Open To Flow (1)
23	470.68	124.50	Shut-In(1)
72	1148.94	127.66	End Shut-In(1)
73	483.08	127.37	Open To Flow (2)
102	707.04	126.99	Shut-In(2)
164	1137.75	128.47	End Shut-In(2)
165	2131.76	128.88	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
300.00	mcw 20m 80w	2.02
940.00	gmco 30g 5m 65o	13.19
360.00	gmco 40g 30o 30m	5.05
0.00	950' GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

O'Brien Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

Job Ticket: 55624

DST#: 6

ATTN: Jim Musgrove

Test Start: 2014.01.01 @ 22:07:00

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 56.00 sec/qt
Water Loss: 5.20 in³
Resistivity: ohm.m
Salinity: 1600.00 ppm
Filter Cake: 1.00 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psig

Oil API: 36 deg API
Water Salinity: 40000 ppm

Recovery Information

Recovery Table


Length ft	Description	Volume bbl
300.00	mcw 20m 80w	2.022
940.00	gmco 30g 5m 65o	13.186
360.00	gmco 40g 30o 30m	5.050
0.00	950' GIP	0.000


Total Length: 1600.00 ft Total Volume: 20.258 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: rw is .320 @ 40f = 40,000





TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

O'Brian Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

ATTN: Jim Musgrove

Job Ticket: 55623

DST#: 5

Test Start: 2013.12.31 @ 22:28:00

GENERAL INFORMATION:

Formation: **Marmaton**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 01:18:00

Time Test Ended: 08:01:00

Test Type: Conventional Bottom Hole (Reset)

Tester: Bradley Walter

Unit No: 69

Interval: **4262.00 ft (KB) To 4386.00 ft (KB) (TVD)**

Reference Elevations: 2853.00 ft (KB)

Total Depth: 3976.00 ft (KB) (TVD)

2848.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

Serial #: **8522** Outside

Press @ Run Depth: 505.16 psig @ 4263.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2013.12.31

End Date:

2014.01.01

Last Calib.:

2014.01.01

Start Time: 22:28:05

End Time:

08:01:00


Time On Btm:

2014.01.01 @ 01:17:45

Time Off Btm:

2014.01.01 @ 04:23:30

TEST COMMENT: IF: BOB @ 3.5 min.
IS: No return.
FF: BOB @ 9 min.
FS: Surface return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2094.63	110.24	Initial Hydro-static
1	42.55	109.61	Open To Flow (1)
30	345.07	114.54	Shut-In(1)
77	904.49	116.71	End Shut-In(1)
77	342.99	116.39	Open To Flow (2)
117	505.16	117.27	Shut-In(2)
185	862.41	118.83	End Shut-In(2)
186	2074.92	119.51	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
500.00	mcw 20m 80w	4.83
600.00	mocw 10m 20o 70w	8.42
0.00	30' Gassy Oder	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

O'Brian Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

Job Ticket: 55623

DST#: 5

ATTN: Jim Musgrove

Test Start: 2013.12.31 @ 22:28:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 52.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 5.60 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1500.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
500.00	mcw 20m 80w	4.827
600.00	mocw 10m 20o 70w	8.416
0.00	30' Gassy Oder	0.000

Total Length: 1100.00 ft Total Volume: 13.243 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: rw is .340 @ 40f = 38000ppm

Pressure vs. Time




Serial #: 8678

Inside

OBrian Resources, LLC

Colt45 FBC2 #4

DST Test Number: 5



Trilobite Testing, Inc

Ref. No: 55623

Printed: 2014.01.01 @ 09:45:01



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

O'Brien Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

ATTN: Jim Musgrove

Job Ticket: 55622

DST#: 4

Test Start: 2013.12.30 @ 22:37:00

GENERAL INFORMATION:

Formation: **LKC- L**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:51:45

Time Test Ended: 06:20:15

Test Type: Conventional Bottom Hole (Reset)

Tester: Bradley Walter

Unit No: 69

Interval: **4232.00 ft (KB) To 4258.00 ft (KB) (TVD)**

Reference Elevations: 2853.00 ft (KB)

Total Depth: 4258.00 ft (KB) (TVD)

2848.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

Serial #: 8522 Outside

Press @ RunDepth: 94.02 psig @ 4233.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2013.12.30

End Date:

2013.12.31

Last Calib.: 2013.12.31

Start Time: 22:37:05


End Time:

06:20:14

Time On Btm: 2013.12.31 @ 00:51:30

Time Off Btm: 2013.12.31 @ 03:51:45

TEST COMMENT: IF: 5" blow.
IS: No return.
FF: 3" blow.
FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2044.05	106.26	Initial Hydro-static
1	18.55	105.58	Open To Flow (1)
31	60.49	111.12	Shut-In(1)
76	352.53	113.89	End Shut-In(1)
76	62.90	113.78	Open To Flow (2)
121	94.02	116.55	Shut-In(2)
180	306.91	118.55	End Shut-In(2)
181	2031.88	119.24	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
160.00	w cm 50w 50m (oil spots)	0.79
0.00	recovery had a gassy odor	0.00

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

O'Brien Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

Job Ticket: 55622

DST#: 4

ATTN: Jim Musgrove

Test Start: 2013.12.30 @ 22:37:00

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 53.00 sec/qt
Water Loss: 5.59 in³
Resistivity: ohm.m
Salinity: 1300.00 ppm
Filter Cake: 1.00 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psig

Oil API: 0 deg API
Water Salinity: 0 ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
160.00	w cm 50w 50m (oil spots)	0.787
0.00	recovery had a gassy odor	0.000

Total Length: 160.00 ft Total Volume: 0.787 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: rw is .315 @ 49f = 32,000ppm





TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

O'Brien Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

ATTN: Jim Musgrove

Job Ticket: 55621

DST#: 3

Test Start: 2013.12.30 @ 06:15:00

GENERAL INFORMATION:

Formation: **Lansing - K**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 08:57:15

Time Test Ended: 14:16:00

Test Type: Conventional Bottom Hole (Reset)

Tester: Bradley Walter

Unit No: 69

Interval: **4191.00 ft (KB) To 4224.00 ft (KB) (TVD)**

Reference Elevations: 2853.00 ft (KB)

Total Depth: 4224.00 ft (KB) (TVD)

2848.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

Serial #: **8522** Outside

Press @ Run Depth: 115.53 psig @ 4192.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2013.12.30

End Date: 2013.12.30

Last Calib.: 2013.12.30

Start Time: 06:15:05


End Time: 14:15:59

Time On Btm: 2013.12.30 @ 08:57:00

Time Off Btm: 2013.12.30 @ 12:21:15

TEST COMMENT: IF: 3" blow.
IS: No return.
FF: 2 1/2" blow.
FS: No return.

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2050.53	110.09	Initial Hydro-static
1	20.04	109.43	Open To Flow (1)
47	69.51	113.87	Shut-In(1)
96	706.70	116.62	End Shut-In(1)
96	72.92	116.42	Open To Flow (2)
141	115.53	119.55	Shut-In(2)
204	701.49	119.52	End Shut-In(2)
205	2036.98	120.03	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
210.00	Mud 100m (thin w oil specs)	1.03

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

O'Brien Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

Job Ticket: 55621

DST#: 3

ATTN: Jim Musgrove

Test Start: 2013.12.30 @ 06:15:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 5.59 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1300.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
210.00	Mud 100m (thin w oil specs)	1.033

Total Length: 210.00 ft Total Volume: 1.033 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:





**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

O'Brien Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

ATTN: Jim Musgrove

Job Ticket: 55620

DST#: 2

Test Start: 2013.12.29 @ 06:26:00

GENERAL INFORMATION:

Formation: **LKC - H**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 09:20:15

Time Test Ended: 13:57:30

Test Type: Conventional Bottom Hole (Reset)

Tester: Bradley Walter

Unit No: 69

Interval: **4091.00 ft (KB) To 4130.00 ft (KB) (TVD)**

Reference Elevations: 2853.00 ft (KB)

Total Depth: 4091.00 ft (KB) (TVD)

2848.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

Serial #: 8522 Outside

Press @ RunDepth: 26.02 psig @ 4092.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2013.12.29

End Date:

2013.12.29

Last Calib.:

2013.12.29

Start Time: 06:26:05

End Time:

13:57:29

Time On Btm:


2013.12.29 @ 09:20:00

Time Off Btm:

2013.12.29 @ 12:13:00

TEST COMMENT: IF: 1" blow.
IS: No return.
FF: No blow. Flushed tool, blow died.
FS: No return.

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1991.45	109.96	Initial Hydro-static
1	18.28	109.33	Open To Flow (1)
31	21.24	110.15	Shut-In(1)
60	789.46	111.48	End Shut-In(1)
60	21.21	111.18	Open To Flow (2)
110	26.02	113.01	Shut-In(2)
173	910.44	114.86	End Shut-In(2)
173	1972.42	115.40	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
30.00	Mud 100m (oil specs)	0.15

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

O'Brien Resources, LLC

2 17s 30w Lane, Ks

PO Box 6149
Shreveport, LA 71136

Colt45 FBC2 #4

Job Ticket: 55620

DST#: 2

ATTN: Jim Musgrove

Test Start: 2013.12.29 @ 06:26:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 5.20 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1200.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
30.00	Mud 100m (oil specs)	0.148

Total Length: 30.00 ft Total Volume: 0.148 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

