



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

American Warrior Inc.
 P.o Box 399
 Garden City KS 67846
 ATTN: Kevin Timson

33-23s-32w Finney Co. KS

Neeley # 9-33

Job Ticket: 56311

DST#: 1

Test Start: 2014.02.23 @ 00:14:00

GENERAL INFORMATION:

Formation: **Morrow**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 03:50:10

Time Test Ended: 09:47:45

Test Type: Conventional Bottom Hole (Initial)

Tester: Will MacLean

Unit No: 72

Interval: 4692.00 ft (KB) To 4720.00 ft (KB) (TVD)

Reference Elevations: 2842.00 ft (KB)

Total Depth: 4720.00 ft (KB) (TVD)

2831.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 11.00 ft

Serial #: 8674

Inside

Press @ Run Depth: 26.57 psig @ 4695.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.02.23

End Date:

2014.02.23

Last Calib.:

2014.02.23

Start Time: 00:14:00

End Time:

08:22:53

Time On Btm:

2014.02.23 @ 03:49:55

Time Off Btm:


2014.02.23 @ 06:26:39

TEST COMMENT: IF- Weak Surface Blow Built to 1 1/2"

IS- No Blow

FF- Weak Surface Blow Built to 9 3/4"

FS- No Blow



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2316.45	110.89	Initial Hydro-static
1	18.78	109.93	Open To Flow (1)
33	19.17	110.95	Shut-In(1)
64	276.03	111.73	End Shut-In(1)
65	21.09	111.72	Open To Flow (2)
110	26.57	112.43	Shut-In(2)
157	281.27	113.06	End Shut-In(2)
157	2238.78	113.78	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
32.00	WGOCM 3%w 5%g 22%oil 70%m	0.45
0.00	344' of GIP	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

