



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: kvasnicka1-1DST3

TIME ON: 4-17 22:06
TIME OFF: 4-18 05:18

Company Blueridge Petroleum Corp Lease & Well No. Kvasnicka #1-1
Contractor Southwind Drilling Charge to Blueridge Petroleum Corp
Elevation 2517 Sur Formation Lansing Effective Pay _____ Ft. Ticket No. S0446
Date 4-18-14 Sec. 1 Twp. 13 S Range 25 W County Trego State KANSAS
Test Approved By _____ Diamond Representative Jacob McCallie

Formation Test No. 3 Interval Tested from 4080 ft. to 4130 ft. Total Depth 4130 ft.

Packer Depth 4075 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Packer Depth 4080 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4061 ft. Recorder Number 5515 Cap. 5,000 P.S.I.

Bottom Recorder Depth (Outside) 4115 ft. Recorder Number 5586 Cap. 5,000 P.S.I.

Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type Chem Viscosity 64 Drill Collar Length _____ ft. I.D. 2 1/4 in.

Weight 9.3 Water Loss 70 cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.

Chlorides 5,100 P.P.M. Drill Pipe Length 4047 ft. I.D. 3 1/2 in.

Jars: Make STERLING Serial Number 4 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.

Did Well Flow? NO Reversed Out NO Anchor Length 50 (18 A) ft. Size 4 1/2-FH in.

Main Hole Size 7 7/8 Tool Joint Size 4 1/2 xh in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: 1" Blow- Built to BB in 7 3/4 min NOBB

2nd Open: 1/2" Blow- Built to BB in 8 1/4 min NOBB

Recovered 103 ft. of HMCW 53% W 47% M

Recovered 882 ft. of SLMCW 90% W 10% M

Recovered 985 ft. of TOTAL FLUID

Recovered _____ ft. of _____

Recovered _____ ft. of PH: 7 RW: .2 @ 40 degrees F Price Job _____

Recovered _____ ft. of Chlorides: 57,000 ppm Other Charges _____

Remarks: _____ Insurance _____

TOOL SAMPLE: 95% W 5% M Total _____

Time Set Packer(s) 12:06 AM ^{A.M.}/_{P.M.} Time Started Off Bottom 2:51 AM ^{A.M.}/_{P.M.} Maximum Temperature 129

Initial Hydrostatic Pressure..... (A) 1934 P.S.I.

Initial Flow Period..... Minutes 30 (B) 19 P.S.I. to (C) 220 P.S.I.

Initial Closed In Period..... Minutes 45 (D) 1373 P.S.I.

Final Flow Period..... Minutes 45 (E) 225 P.S.I. to (F) 478 P.S.I.

Final Closed In Period..... Minutes 45 (G) 1367 P.S.I.


Final Hydrostatic Pressure..... (H) 1932 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

Blueridge Petroleum Corp
DST #3 Lansing 4080-4130'
Start Test Date: 2014/04/17
Final Test Date: 2014/04/18

Kvasnicka 1-1
Formation: DST #3 Lansing 4080-4130'
Pool: WC
Job Number: S0446

Kvasnicka 1-1



Diamond Testing

General information Report

General Information

Company Name Blueridge Petroleum Corp

Contact	Jonathan Allen	Job Number	S0446
Well Name	Kvasnicka 1-1	Representative	Jacob McCallie
Unique Well ID	DST #3 Lansing 4080-4130'	Well Operator	Blueridge Petroleum Corp
Surface Location	SEC 1-13S-25W Trego County	Report Date	2014/04/18
Well License Number		Prepared By	Jacob McCallie
Field	WC		
Well Type	Vertical		

Test Type	Drill Stem Test		
Formation	DST #3 Lansing 4080-4130'		
Well Fluid Type	06 Water	Start Test Time	22:06:00
		Final Test Time	05:18:00
Start Test Date	2014/04/17		
Final Test Date	2014/04/18		
Gauge Name	5515		
Gauge Serial Number			

Test Results

RECOVERY:

103'	HMCW	53% W 47% M
882'	SLMCW	90% W 10% M
985'	TOTAL FLUID	

PH: 7

RW: .2 @ 40 degrees F

Chlorides: 57,000 ppm

TOOL SAMPLE:

95% W 5% M