



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Vincent Oil Corp.
 155 N. Market Ste. 700
 Wichita, KS 67202-1821
 ATTN: Tom Dudgeon


10-28s.-23w. Ford Co., KS
Droste 1-10
 Job Ticket: 51873 **DST#: 2**
 Test Start: 2014.02.09 @ 10:39:24

GENERAL INFORMATION:

Formation: **Penn. Lime**
 Deviated: No Whipstock: 0.00 ft (KB)
 Time Tool Opened: 12:58:24
 Time Test Ended: 20:35:24
 Interval: **5064.00 ft (KB) To 5120.00 ft (KB) (TVD)**
 Total Depth: 5120.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: Ryan Reynolds
 Unit No: 68
 Reference Elevations: 2460.00 ft (KB)
 2452.00 ft (CF)
 KB to GR/CF: 8.00 ft

Serial #: 8790 Inside
 Press @ Run Depth: 109.91 psig @ 5069.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2014.02.09 End Date: 2014.02.09 Last Calib.: 2014.02.09
 Start Time: 10:39:29 End Time: 20:35:24 Time On Btm: 2014.02.09 @ 12:55:09
 Time Off Btm: 2014.02.09 @ 17:30:39

TEST COMMENT: IF: Strong blow . BOB @ 13min. No GTS.
 IS: No blow
 FF: Strong blow . BOB @ 1min. No GTS.
 FS: Weak 1" BB



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2549.62	104.67	Initial Hydro-static
4	23.53	104.53	Open To Flow (1)
34	60.08	108.49	Shut-In(1)
95	1431.36	110.48	End Shut-In(1)
96	62.31	110.00	Open To Flow (2)
154	109.91	112.78	Shut-In(2)
274	1454.62	114.45	End Shut-In(2)
276	2425.02	114.79	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
160.00	GOWCM 5%gas, 15%oil, 8%w tr, 72%mu	2.24
50.00	Clean oil 100%oil	0.70
0.00	1815' GIP	0.00

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (m ³ /d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corp.

10-28s.-23w. Ford Co., KS

155 N. Market Ste. 700
Wichita, KS 67202-1821

Droste 1-10

Job Ticket: 51873

DST#: 2

ATTN: Tom Dudgeon

Test Start: 2014.02.09 @ 10:39:24

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

64000 ppm

Viscosity: 54.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.99 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 9000.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
160.00	GOWCM 5%gas, 15%oil, 8%w tr, 72%mud	2.244
50.00	Clean oil 100%oil	0.701
0.00	1815' GIP	0.000

Total Length: 210.00 ft Total Volume: 2.945 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

