



DRILL STEM TEST REPORT

Prepared For: **TDI, Inc**

1310 Bison Rd
Hays KS 67601

ATTN: Herb Deines

Conell #1

26-11s-20w Ellis,KS

Start Date: 2014.05.13 @ 20:22:00

End Date: 2014.05.14 @ 04:01:45

Job Ticket #: 54043 DST #: 1

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2014.05.15 @ 14:51:02

TDI, Inc
26-11s-20w Ellis,KS
Conell #1
DST # 1
LKC "I,J"
2014.05.13



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

TDI, Inc
 1310 Bison Rd
 Hays KS 67601
 ATTN: Herb Deines

26-11s-20w Ellis,KS
Conell #1
 Job Ticket: 54043 **DST#: 1**
 Test Start: 2014.05.13 @ 20:22:00


GENERAL INFORMATION:

Formation: **LKC "I,J"**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 23:11:15
 Time Test Ended: 04:01:45
Interval: 3542.00 ft (KB) To 3595.00 ft (KB) (TVD)
 Total Depth: 3798.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Straddle (Initial)
 Tester: Cody Bloedorn
 Unit No: 73
 Reference Elevations: 2096.00 ft (KB)
 2088.00 ft (CF)
 KB to GR/CF: 8.00 ft

Serial #: 8648 Inside
 Press@RunDepth: 51.07 psig @ 3580.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2014.05.13 End Date: 2014.05.14 Last Calib.: 2014.05.14
 Start Time: 20:22:05 End Time: 04:01:44 Time On Btm: 2014.05.13 @ 23:11:00
 Time Off Btm: 2014.05.14 @ 02:10:30

TEST COMMENT: 45 - IF- B.O.B. in 17 minutes
 45 - IS- Surface return
 45 - FF- B.O.B. in 34 Minutes
 45 - FS- Surface return

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1787.78	107.93	Initial Hydro-static
1	17.83	107.22	Open To Flow (1)
44	34.86	107.94	Shut-In(1)
90	934.47	108.88	End Shut-In(1)
90	36.76	108.61	Open To Flow (2)
134	51.07	109.16	Shut-In(2)
179	787.31	109.87	End Shut-In(2)
180	1584.87	110.10	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
10.00	HOCM, 30%O, 70%M	0.14
77.00	GO, 5%G, 95%O	1.08
0.00	341' of G.I.P.	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

TDI, Inc
1310 Bison Rd
Hays KS 67601
ATTN: Herb Deines

26-11s-20w Ellis,KS
Conell #1
Job Ticket: 54043 **DST#: 1**
Test Start: 2014.05.13 @ 20:22:00

Tool Information

Drill Pipe:	Length: 3527.00 ft	Diameter: 3.80 inches	Volume: 49.47 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 50000.00 lb
			<u>Total Volume: 49.47 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	6.00 ft			String Weight: Initial 45000.00 lb
Depth to Top Packer:	3542.00 ft			Final 45000.00 lb
Depth to Bottom Packer:	3595.00 ft			
Interval between Packers:	53.00 ft			
Tool Length:	283.00 ft			
Number of Packers:	3	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			3522.00	
Shut In Tool	5.00			3527.00	
Hydraulic tool	5.00			3532.00	
Packer	5.00			3537.00	21.00 Bottom Of Top Packer
Packer	5.00			3542.00	
Stubb	1.00			3543.00	
Perforations	4.00			3547.00	
Change Over Sub	1.00			3548.00	
Drill Pipe	31.00			3579.00	
Change Over Sub	1.00			3580.00	
Recorder	0.00	8648	Inside	3580.00	
Recorder	0.00	8940	Outside	3580.00	
Perforations	14.00			3594.00	
Blank Off Sub	1.00			3595.00	53.00 Tool Interval
Packer	4.00			3599.00	
Change Over Sub	1.00			3600.00	
Drill Pipe	186.00			3786.00	
Change Over Sub	1.00			3787.00	
Recorder	0.00	8958	Below	3787.00	
Perforations	14.00			3801.00	
Bullnose	3.00			3804.00	209.00 Bottom Packers & Anchor
Total Tool Length:	283.00				



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

TDI, Inc
1310 Bison Rd
Hays KS 67601
ATTN: Herb Deines

26-11s-20w Ellis,KS
Conell #1
Job Ticket: 54043
Test Start: 2014.05.13 @ 20:22:00

DST#: 1

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API: 32 deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity: ppm
Viscosity: 61.00 sec/qt	Cushion Volume: bbl	
Water Loss: 7.59 in ³	Gas Cushion Type:	
Resistivity: ohm.m	Gas Cushion Pressure: psig	
Salinity: 1300.00 ppm		
Filter Cake: inches		

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
10.00	HOCM, 30%O, 70%M	0.140
77.00	GO, 5%G, 95%O	1.080
0.00	341' of G.I.P.	0.000


Total Length: 87.00 ft Total Volume: 1.220 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: 30 @ 40 Degrees = 32 Gravity

Pressure vs. Time




Serial #: 8940

Outside TDI, Inc

Cornell #1


DST Test Number: 1



Triobite Testing, Inc

Ref. No: 54043

Printed: 2014.05.15 @ 14:51:03





DRILL STEM TEST REPORT

Prepared For: **TDI, Inc**

1310 Bison Rd
Hays KS 67601

ATTN: Herb Deines

Conell #1

26-11s-20w Ellis,KS

Start Date: 2014.05.13 @ 20:22:00

End Date:

Job Ticket #: 54044

DST #: 2

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2014.05.15 @ 14:50:33



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

TDI, Inc
1310 Bison Rd
Hays KS 67601
ATTN: Herb Deines

26-11s-20w Ellis,KS
Conell #1
Job Ticket: 54044 **DST#: 2**
Test Start: 2014.05.13 @ 20:22:00

Tool Information

Drill Pipe:	Length: 3681.00 ft	Diameter: 3.80 inches	Volume: 51.63 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 45000.00 lb
			<u>Total Volume: 51.63 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	27.00 ft			String Weight: Initial 45000.00 lb
Depth to Top Packer:	3675.00 ft			Final 45000.00 lb
Depth to Bottom Packer:	3722.00 ft			
Interval between Packers:	47.00 ft			
Tool Length:	150.00 ft			
Number of Packers:	3	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
------------------	-------------	------------	----------	------------	----------------

Change Over Sub	1.00			3655.00	
Shut In Tool	5.00			3660.00	
Hydraulic tool	5.00			3665.00	
Packer	5.00			3670.00	21.00 Bottom Of Top Packer
Packer	5.00			3675.00	
Stubb	1.00			3676.00	
Perforations	4.00			3680.00	
Change Over Sub	1.00			3681.00	
Drill Pipe	31.00			3712.00	
Change Over Sub	1.00			3713.00	
Recorder	0.00	8648	Inside	3713.00	
Recorder	0.00	8940	Outside	3713.00	
Perforations	8.00			3721.00	
Blank Off Sub	1.00			3722.00	47.00 Tool Interval
Packer	4.00			3726.00	
Change Over Sub	1.00			3727.00	
Drill Pipe	62.00			3789.00	
Change Over Sub	1.00			3790.00	
Recorder	0.00	8958	Below	3790.00	
Perforations	11.00			3801.00	
Bullnose	3.00			3804.00	82.00 Bottom Packers & Anchor

Total Tool Length: 150.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

TDI, Inc

26-11s-20w Ellis,KS

1310 Bison Rd
Hays KS 67601

Conell #1

Job Ticket: 54044

DST#: 2

ATTN: Herb Deines

Test Start: 2014.05.13 @ 20:22:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 61.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.58 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1300.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl

Total Length:

ft

Total Volume:

bbbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 8648

Inside

TDI, Inc

Cornell #1

DST Test Number: 2



Triobite Testing, Inc

Ref. No: 54044


Printed: 2014.05.15 @ 14:50:34

Serial #: 8940

Outside TDI, Inc

Cornell #1


DST Test Number: 2



Triobite Testing, Inc

Ref. No: 54044

Printed: 2014.05.15 @ 14:50:34





DRILL STEM TEST REPORT

Prepared For: **TDI, Inc**

1310 Bison Rd
Hays KS 67601

ATTN: Herb Deines

Conell #1

26-11s-20w Ellis,KS

Start Date: 2014.05.14 @ 08:27:00

End Date: 2014.05.14 @ 14:29:45

Job Ticket #: 54045 DST #: 3

Trilobite Testing, Inc
PO Box 362 Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2014.05.15 @ 14:50:02

TDI, Inc
26-11s-20w Ellis,KS
Conell #1
DST # 3
Arbuckle
2014.05.14



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

TDI, Inc
1310 Bison Rd
Hays KS 67601
ATTN: Herb Deines

26-11s-20w Ellis,KS
Conell #1
Job Ticket: 54045 **DST#: 3**
Test Start: 2014.05.14 @ 08:27:00

Tool Information

Drill Pipe:	Length: 3588.00 ft	Diameter: 3.80 inches	Volume: 50.33 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 30000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight to Pull Loose: 49000.00 lb
			<u>Total Volume: 50.33 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	9.00 ft			String Weight: Initial 45000.00 lb
Depth to Top Packer:	3600.00 ft			Final 45000.00 lb
Depth to Bottom Packer:	3722.00 ft			
Interval between Packers:	122.00 ft			
Tool Length:	224.00 ft			
Number of Packers:	3	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
-------------------------	--------------------	-------------------	-----------------	-------------------	-----------------------

Change Over Sub	1.00			3580.00	
Shut In Tool	5.00			3585.00	
Hydraulic tool	5.00			3590.00	
Packer	5.00			3595.00	21.00 Bottom Of Top Packer
Packer	5.00			3600.00	
Stubb	1.00			3601.00	
Perforations	4.00			3605.00	
Change Over Sub	1.00			3606.00	
Drill Pipe	93.00			3699.00	
Change Over Sub	1.00			3700.00	
Recorder	0.00	8648	Inside	3700.00	
Recorder	0.00	8940	Outside	3700.00	
Perforations	21.00			3721.00	
Blank Off Sub	1.00			3722.00	122.00 Tool Interval
Packer	4.00			3726.00	
Change Over Sub	1.00			3727.00	
Drill Pipe	62.00			3789.00	
Change Over Sub	1.00			3790.00	
Recorder	0.00	8958	Below	3790.00	
Perforations	10.00			3800.00	
Bullnose	3.00			3803.00	81.00 Bottom Packers & Anchor

Total Tool Length: 224.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

TDI, Inc

26-11s-20w Ellis,KS

1310 Bison Rd
Hays KS 67601

Conell #1

Job Ticket: 54045

DST#: 3

ATTN: Herb Deines

Test Start: 2014.05.14 @ 08:27:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 61.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.58 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1300.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
15.00	Mud - w with Oil spots, 100%M	0.210

Total Length: 15.00 ft Total Volume: 0.210 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:




Serial #: 8940

Outside TDI, Inc

Cornell #1


DST Test Number: 3




Trilobite Testing, Inc

Ref. No: 54045

Printed: 2014.05.15 @ 14:50:04





TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO. 54043

Well Name & No. Conell #1 Test No. 1 Date 5-13-14
 Company TDI Inc Elevation ~~2088~~ 2096 KB 2088 GL
 Address 1310 Bison Rd, Hays KS, 67601
 Co. Rep / Geo. Herb Rig Southwind #1
 Location: Sec. 26 Twp. 11s Rge. 20w Co. Ellis State KS

Interval Tested 3542-3595 TD 3798 Zone Tested "I, J"
 Anchor Length 53' 203' tail Drill Pipe Run 3527' Mud Wt. 9.0
 Top Packer Depth 3537 Drill Collars Run — Vis 61
 Bottom Packer Depth 3542 Wt. Pipe Run — WL 7.6
 Total Depth 3595 Chlorides 1300 ppm System LCM —

Blow Description IF- B.O.B. in 17 minutes
ISI- Surface return
FF- B.O.B. in 34 minutes
FBI- surface return

Rec	Feet of	%gas	%oil	%water	%mud
<u>10</u>	<u>HO CM</u>	<u>30</u>	<u>—</u>	<u>70</u>	<u>—</u>
<u>77</u>	<u>60</u>	<u>5</u>	<u>95</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>341' G.I.P.</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>

Rec Total 87' BHT 109° Gravity 32 API RW — @ — ° F Chlorides — ppm

(A) Initial Hydrostatic 1787 Test 1150 T-On Location 1948
 (B) First Initial Flow 17 Jars — T-Started 2022
 (C) First Final Flow 34 Safety Joint — T-Open 2312
 (D) Initial Shut-In 934 Circ Sub — T-Pulled 0212
 (E) Second Initial Flow 36 Hourly Standby — T-Out 0403
 (F) Second Final Flow 51 Mileage SIRT 79.05 Comments 30@40 Degrees
 (G) Final Shut-In 787 Sampler —
 (H) Final Hydrostatic 1584 Straddle 600 Ruined Shale Packer —

Shale Packer — Ruined Packer —
 Extra Packer — Extra Copies —
 Initial Open 45 Extra Recorder — Sub Total 0
 Initial Shut-In 45 Day Standby — Total 1829.05
 Final Flow 45 Accessibility — MP/DST Disc't —
 Final Shut-In 45 Sub Total 1829.05

Approved By _____ Our Representative Cody Bledorn

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO. 54044

Well Name & No. Connell #1 Test No. 2 Date 5-14-14
 Company TDI, Inc Elevation 2096 KB 2088 GL
 Address 1310 Bison Rd, Hays KS, 67601
 Co. Rep / Geo. Herb Rig Southwind #1
 Location: Sec. 26 Twp. 11s Rge. 20w Co. ELLIS State KS

Interval Tested 3675-3722 Zone Tested Arbuckle
 Anchor Length 47 76tail Drill Pipe Run _____ Mud Wt. 9.0
 Top Packer Depth 3670 Drill Collars Run — Vis 61
 Bottom Packer Depth 3675 Wt. Pipe Run — WL 7.6
 Total Depth 3722 Chlorides 1300 ppm System LCM —
 Blow Description IF- Opened tool * packer Failure *
ISI-
FF-
FSI-


Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total _____ BHT _____ Gravity _____ API RW _____ @ _____ ° F Chlorides _____ ppm

(A) Initial Hydrostatic _____ Test 950 T-On Location 0400
 (B) First Initial Flow _____ Jars _____ T-Started 0432
 (C) First Final Flow _____ Safety Joint _____ T-Open 0600
 (D) Initial Shut-In _____ Circ Sub _____ T-Pulled 0613
 (E) Second Initial Flow _____ Hourly Standby _____ T-Out 0804
 (F) Second Final Flow _____ Mileage _____
 (G) Final Shut-In _____ Sampler _____
 (H) Final Hydrostatic _____ Straddle 600 Ruined Shale Packer _____
 Shale Packer _____ Ruined Packer _____
 Extra Packer _____ Extra Copies _____
 Initial Open _____ Extra Recorder _____ Sub Total 0
 Initial Shut-In _____ Day Standby _____ Total 1550
 Final Flow _____ Accessibility _____ MP/DST Disc't _____
 Final Shut-In _____ Sub Total 1550

Approved By _____ Our Representative Cody Bell

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO. 54045

Well Name & No. Connell #1 Test No. 3 Date 5-14-14
 Company TDI, Inc Elevation 2096 KB 2088 GL
 Address 1310 Bison Rd, Hays KS, 67601
 Co. Rep / Geo. Herb Rig Southwind #1
 Location: Sec. 26 Twp. 11s Rge. 20w Co. Ellis State KS

Interval Tested 3600-3722 3798TD Zone Tested Arbuckle
 Anchor Length 122' 76' tail Drill Pipe Run 3588' Mud Wt. 9.0
 Top Packer Depth 3595 Drill Collars Run — Vis 61
 Bottom Packer Depth 3600 Wt. Pipe Run — WL 7.6
 Total Depth 3722 Chlorides 1300 ppm System LCM —
 Blow Description IF-1 1/2" blow in 18 min. Stayed there rest of open
ISI - surface return
FF - Surged & died
FSI - No return

Rec	Feet of	%gas	%oil	%water	%mud
<u>15</u>	<u>Mud - with oil spots</u>			<u>100</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 15' BHT 1110 Gravity — API RW — @ — °F Chlorides — ppm

(A) Initial Hydrostatic <u>1835</u>	<input checked="" type="checkbox"/> Test <u>1150</u>	T-On Location <u>0804</u>
(B) First Initial Flow <u>19</u>	<input type="checkbox"/> Jars	T-Started <u>0827</u>
(C) First Final Flow <u>22</u>	<input type="checkbox"/> Safety Joint	T-Open <u>0949</u>
(D) Initial Shut-In <u>424</u>	<input type="checkbox"/> Circ Sub	T-Pulled <u>12:34</u>
(E) Second Initial Flow <u>21</u>	<input type="checkbox"/> Hourly Standby	T-Out <u>1429</u>
(F) Second Final Flow <u>24</u>	<input type="checkbox"/> Mileage	Comments
(G) Final Shut-In <u>360</u>	<input type="checkbox"/> Sampler	
(H) Final Hydrostatic <u>1763</u>	<input checked="" type="checkbox"/> Straddle <u>600</u>	<input type="checkbox"/> Ruined Shale Packer
	<input type="checkbox"/> Shale Packer	<input type="checkbox"/> Ruined Packer
Initial Open <u>45</u>	<input type="checkbox"/> Extra Packer	<input type="checkbox"/> Extra Copies
Initial Shut-In <u>45</u>	<input type="checkbox"/> Extra Recorder	Sub Total <u>0</u>
Final Flow <u>30</u>	<input type="checkbox"/> Day Standby	Total <u>1750</u>
Final Shut-In <u>45</u>	<input type="checkbox"/> Accessibility	MP/DST Disc't
	Sub Total <u>1750</u>	

Approved By _____

Our Representative Lody Blah

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.