



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Vincent Oil Corporation

**32-29s-24w Ford co.**

155 N. Market Suite 700  
Wichita, Ks. 67202

**Marfam 1-32**

Job Ticket: 51940

**DST#: 1**

ATTN: Tom Dugeon

Test Start: 2014.03.12 @ 07:51:01

## GENERAL INFORMATION:

Formation: **Morrow**

Deviated: No Whipstock: 0.00 ft (KB)

Time Tool Opened: 11:41:46

Time Test Ended: 16:49:01

Test Type: Conventional Bottom Hole (Initial)

Tester: Matt Smith

Unit No: 53

**Interval: 5262.00 ft (KB) To 5308.00 ft (KB) (TVD)**

Reference Elevations: 2581.00 ft (KB)

Total Depth: 5308.00 ft (KB) (TVD)

2569.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 12.00 ft

**Serial #: 6773 Outside**

Press@RunDepth: 27.34 psig @ 5263.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.03.12

End Date: 2014.03.12

Last Calib.: 2014.03.12

Start Time: 07:51:06


End Time: 16:49:01

Time On Btm: 2014.03.12 @ 11:37:46

Time Off Btm: 2014.03.12 @ 14:14:46

TEST COMMENT: IF: Weak blow . Surf., - 1 1/4".  
IS: No blow .  
FF: No blow . Flushed. Weak surf., blow . Dead shut in tool.  
FS: No blow .

## PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2673.54	108.95	Initial Hydro-static
4	22.98	108.59	Open To Flow (1)
34	21.45	110.05	Shut-In(1)
94	48.96	112.05	End Shut-In(1)
95	25.58	112.03	Open To Flow (2)
127	27.34	113.18	Shut-In(2)
157	33.82	113.53	End Shut-In(2)
157	2574.60	114.78	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
20.00	Drilg mud 100%m	0.28

## Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Vincent Oil Corporation

**32-29s-24w Ford co.**

155 N. Market Suite 700  
Wichita, Ks. 67202

**Marfam 1-32**

Job Ticket: 51940

**DST#: 1**

ATTN: Tom Dugeon

Test Start: 2014.03.12 @ 07:51:01

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 10.39 in<sup>3</sup>

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 7000.00 ppm

Filter Cake: 0.20 inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
20.00	Drilg mud 100%m	0.281

Total Length: 20.00 ft      Total Volume: 0.281 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

