



DRILL STEM TEST REPORT

Oil Producers Inc of Kansas

36-20s-21w, Ness, KS

1710 Waterfront PKWY
Wichita KS 67206

Craig J #1

Job Ticket: 58955 **DST#: 2**

ATTN: Kent Matson

Test Start: 2014.05.12 @ 09:10:00

GENERAL INFORMATION:

Formation: **Miss**

Deviated: No Whipstock: ft (KB) Test Type: Conventional Bottom Hole (Reset)

Time Tool Opened: Tester: Brett Dickinson

Time Test Ended: Unit No: 59

Interval: 4382.00 ft (KB) To 4390.00 ft (KB) (TVD) Reference Elevations: 2253.00 ft (KB)

Total Depth: 4390.00 ft (KB) (TVD) 2241.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good KB to GR/CF: 12.00 ft

Serial #: 8957


Press@RunDepth: psig @ ft (KB) Capacity: 8000.00 psig

Start Date: 2014.05.13 End Date: 2014.05.13 Last Calib.: 2014.05.13

Start Time: 04:45:05 End Time: 09:48:14 Time On Btm:

Time Off Btm:

TEST COMMENT: Packer Failure



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
240.00	Mud	1.73

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Oil Producers Inc of Kansas

36-20s-21w ,Ness,KS

1710 Waterfront PKWY
Wichita KS 67206

Craig J #1

Job Ticket: 58955

DST#: 2

ATTN: Kent Matson

Test Start: 2014.05.12 @ 09:10:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 70.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 11.58 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3500.00 ppm

Filter Cake: inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
240.00	Mud	1.727

Total Length: 240.00 ft Total Volume: 1.727 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

