





**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Shakespeare Oil Company, Inc

**14-14s-32w Logan Co, KS**

202 W Main ST  
Salem IL, 62881 - 1519

**Ottley #6-14**

Job Ticket: 57036

**DST#: 7**

ATTN: Tim Priest

Test Start: 2014.07.16 @ 00:30:00

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length: ft

Water Salinity: ppm

Viscosity: 57.00 sec/qt

Cushion Volume: bbl

Water Loss: 9.59 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure: psig

Salinity: 4500.00 ppm

Filter Cake: 2.00 inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
970.00	100% Mud	13.177

Total Length: 970.00 ft      Total Volume: 13.177 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 8675

Inside

Shakespeare Oil Company, Inc

Otley #6-14

DST Test Number: 7



Trilobite Testing, Inc

Ref. No: 57036

Printed: 2014.07.16 @ 08:08:46