



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco, LLC

26/1s/36w Rawlins KS

2020 N. Bramblewood
Wichita, KS 67206

Lillie #3-26

Job Ticket: 56938

DST#: 2

ATTN: Pete Vollmer

Test Start: 2014.07.07 @ 13:50:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 74.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.00 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 600.00 ppm

Filter Cake: 2.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
89.00	OWCM 68% <i>m</i> , 15% <i>w</i> , 10% <i>o</i> , 7% <i>g</i>	0.438
76.00	OCM 80% <i>m</i> , 10% <i>o</i> , 10% <i>g</i>	0.374

Total Length: 165.00 ft Total Volume: 0.812 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: LCM = 18 - 20#

