



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Ring Energy
P.o Box 11350
Midland TX. 79702

ATTN: Austin Garner

33-26s-30w Gray Co. KS
Wedel #33
Job Ticket: 57720 **DST#: 1**
Test Start: 2014.08.26 @ 17:32:00


GENERAL INFORMATION:

Formation: **Morrow**
Deviated: No Whipstock: ft (KB) Test Type: Conventional Bottom Hole (Real-Time)
Time Tool Opened: Tester: Will MacLean
Time Test Ended: 20:44:40 Unit No: 71

Interval: **4970.00 ft (KB) To 5006.00 ft (KB) (TVD)** Reference Elevations: 2806.00 ft (KB)
Total Depth: 5006.00 ft (KB) (TVD) 2797.00 ft (CF)
Hole Diameter: 7.88 inches Hole Condition: Good KB to GR/CF: 9.00 ft

Serial #: 8674 Inside
Press@RunDepth: psig @ 4972.00 ft (KB) Capacity: 8000.00 psig
Start Date: 2014.08.26 End Date: 2014.08.26 Last Calib.: 2014.08.26
Start Time: 17:32:00 End Time: 20:44:40 Time On Btm:
Time Off Btm:

TEST COMMENT: IF- Hit a Bridge or Shoe around 1810'



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Ring Energy **33-26s-30w Gray Co. KS**

P.o Box 11350
Midland TX. 79702

Wedel #33

Job Ticket: 57720

DST#: 1

ATTN: Austin Garner

Test Start: 2014.08.26 @ 17:32:00

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 45.00 sec/qt

Water Loss: 8.79 in³

Resistivity: ohm.m

Salinity: 5000.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length: ft

Cushion Volume: bbl

Gas Cushion Type:

Gas Cushion Pressure: psig

Oil API:

Water Salinity: deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl

Total Length: ft Total Volume: bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

Serial #: 8674

Inside

Ring Energy

Well #33

DST Test Number: 1

