


BRUNGARDT OIL & LEASING INC.
DST3 LKC"F-G" 2980-3027
Start Test Date: 2014/03/14
Final Test Date: 2014/03/14

BERANS BROTHERS 3
Formation: DST3 LKC"F-G" 2980-3027
Pool: WILDCAT
Job Number: A028

BERANS BROTHERS 3



DIAMOND TESTING, LLC

TESTER : ANDY CARREIRA
CELL # 620-617-7202

General Information

Company Name	BRUNGARDT OIL & LEASING INC.	Job Number	A028
Contact	CHRISTOPHER BRUNGARDT	Representative	ANDY CARREIRA
Well Name	BERANS BROTHERS 3	Well Operator	BRUNGARDT OIL & LEASING INC.
Unique Well ID	DST3 LKC"F-G" 2980-3027	Report Date	2014/03/14
Surface Location	SEC 15-12S-13W RUSSELL CNTY KS	Prepared By	ANDY CARREIRA
Well License Number			
Field	WILDCAT		
Well Type	Vertical		

Test Information

Test Type	CONVENTIONAL
Formation	DST3 LKC"F-G" 2980-3027
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2014/03/14	Start Test Time	11:50:00
Final Test Date	2014/03/14	Final Test Time	16:48:00

Gauge Name	5585
------------	------

Test Results

RECOVERY: 20' MUD

TOOL SAMPLE: TRACE OIL, MUD



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: BERANS BROS 3 DST3

TIME ON: 11:50
TIME OFF: 16:48

Company BRUNGARDT OIL & LEASING INC. Lease & Well No. BERANS BROTHERS 3
Contractor SHIELDS DRLG. Charge to BRUNGARDT OIL & LEASING INC.
Elevation 1705 KB Formation LKC " F-G" Effective Pay _____ Ft. Ticket No. A028
Date 3-14-14 Sec. 15 Twp. 12 S Range 13 W County RUSSELL State KANSAS
Test Approved By BRAD HUTCHINSON Diamond Representative ANDY CARREIRA

Formation Test No. 3 Interval Tested from 2980 ft. to 3027 ft. Total Depth 3027 ft.
Packer Depth 2975 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 2980 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____
Top Recorder Depth (Inside) 2968 ft. Recorder Number 5585 Cap. 5,000 P.S.I.
Bottom Recorder Depth (Outside) 2982 ft. Recorder Number 8471 Cap. 10000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 47 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.0 Water Loss 9.2 cc. Weight Pipe Length 466 ft. I.D. 2 7/8 in.
Chlorides 8200 P.P.M. Drill Pipe Length 2489 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number - Test Tool Length 25 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 25 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK BLOW, DIED IN 1 MIN, (NObb)
2nd Open: NO BLOW, FLUSHED, SURGED, NO BLOW (NObb)

Recovered <u>20</u> ft. of <u>MUD</u>	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
TOOL SAMPLE: <u>TRACE OIL, MUD</u>	Total

Time Set Packer(s) 1:13 PM A.M. P.M. Time Started Off Bottom 3:13 PM A.M. P.M. Maximum Temperature 86
Initial Hydrostatic Pressure..... (A) 1418 P.S.I.
Initial Flow Period..... Minutes 30 (B) 6 P.S.I. to (C) 18 P.S.I.
Initial Closed In Period..... Minutes 30 (D) 380 P.S.I.
Final Flow Period..... Minutes 30 (E) 19 P.S.I. to (F) 29 P.S.I.
Final Closed In Period..... Minutes 30 (G) 326 P.S.I.
Final Hydrostatic Pressure..... (H) 1409 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.