



Diamond Testing General Report

John Riedl
TESTER
CELL: 620-793-0550

General Information

Company Name	RJM COMPANY	Job Number	J3304
Contact	CHRIS HOFFMAN	Representative	JOHN RIEDL
Well Name	HENRY J #1	Well Operator	RJM COMPANY
Unique Well ID		Report Date	2014/10/06
Surface Location	S31/15S/11W	Prepared By	JOHN RIEDL
Field		Qualified By	WYATT URBAN

Test Information

Test Type	DST #3 CONVENTIONAL
Formation	LKC "H-K"
Well Fluid Type	
Test Purpose	

Start Test Date	2014/10/06	Start Test Time	16:30:00
Final Test Date	2014/10/06	Final Test Time	21:45:00

Test Recovery

RECOVERY: 700' GAS IN PIPE
50' GAS+OIL CUT MUD
130' SLIGHTLY MUD CUT GASSY OIL



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: STC/HenryJ1dst3

TIME ON: 16:30 10/06/2014
TIME OFF: 21:45 10/06/2014

Company RJM COMPANY Lease & Well No. HENRY J #1
Contractor ROYAL DRILLING RIG 2 Charge to RJM
Elevation 1872 G.L Formation LKC "H-K" Effective Pay _____ Ft. Ticket No. J3304
Date 10/06/2014 Sec. 31 Twp. 15 S Range 11 W County RUSSELL State KANSAS
Test Approved By WYATT URBAN Diamond Representative JOHN RIEDL

Formation Test No. 3 Interval Tested from 3162 ft. to 3280 ft. Total Depth 3280 ft.
Packer Depth 3157 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 3162 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3165 ft. Recorder Number 30046 Cap. 6000 P.S.I.
Bottom Recorder Depth (Outside) 3277 ft. Recorder Number 13498 Cap. 6000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 52 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 8.6 Water Loss 8.8 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 7,000 P.P.M. Drill Pipe Length 3142 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number NOT REQUESTED Test Tool Length 20 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 118 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. 96" DRILL PIPE Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: STRONG (B.O.B 3 MIN.) SURFACE BB
2nd Open: STRONG (B.O.B 1 MIN.) 2" BB

Recovered 700 ft. of GAS IN PIPE
Recovered 50 ft. of G+OCM (25%GAS 10%OIL 75%MUD)
Recovered 130 ft. of SLMCGO (5%GAS 25%MUD 75%OIL)

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Recovered _____ ft. of _____	Insurance
Remarks: <u>TOTAL FLUID REC:180' IN DRILL</u> <u>TOOL SAMPLE GRINDOUT: 20%GAS 80%OIL)</u>	Total

Time Set Packer(s) 5:30 P.M A.M. P.M. Time Started Off Bottom 8:00 P.M A.M. P.M. Maximum Temperature 101

Initial Hydrostatic Pressure..... (A) 1488 P.S.I.
Initial Flow Period..... Minutes 30 (B) 24 P.S.I. to (C) 51 P.S.I.
Initial Closed In Period..... Minutes 45 (D) 765 P.S.I.
Final Flow Period..... Minutes 30 (E) 65 P.S.I. to (F) 85 P.S.I.
Final Closed In Period..... Minutes 45 (G) 731 P.S.I.
Final Hydrostatic Pressure..... (H) 1473 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

HENTY J #1

