


Blue Ridge Pet.  
DST 4 Granite Wash 3580-3690  
Start Test Date: 2014/10/19  
Final Test Date: 2014/10/19

McChesney 1-6  
Formation: Granite Wash  
Job Number: W132

# McChesney 1-6 DST 4





# Diamond Testing General Report

**Wilbur Steinbeck**  
**TESTER**  
**CELL: 620-282-1573**

## General Information

**Company Name** Blue Ridge Pet.

**Contact**

**Well Name**

**Unique Well ID**

**Surface Location**

**Field**

	Kirt Talbott	<b>Job Number</b>	W132
	McChesney 1-6	<b>Representative</b>	Wilbur Steinbeck
DST 4 Granite Wash	3580-3690	<b>Well Operator</b>	L-D 1
6-3s-34w Norton/Kan		<b>Report Date</b>	2014/10/19
Wildcat		<b>Prepared By</b>	Wilbur Steinbeck
		<b>Qualified By</b>	Kirt Talbott

## Test Information

**Test Type**

**Formation**

**Well Fluid Type**

**Test Purpose (AEUB)**

Conventional

Granite Wash

01 Oil

Initial Test

**Start Test Date**

**Final Test Date**

2014/10/19 **Start Test Time** 13:00:00

2014/10/19 **Final Test Time** 19:03:00

## Test Recovery

**Recovery** 15' Mud  
15' Total Fluid

**Tool Sample Mud**



**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: McChesney 1-6 DST 4

TIME ON: 13:00  
TIME OFF: 19:03

Company Blue Ridge Petro Corp Lease & Well No. McChesney 1-6  
Contractor L D 1 Charge to Blue Ridge  
Elevation 2418 GL Formation Granite Wash Effective Pay \_\_\_\_\_ Ft. Ticket No. W132  
Date 10-19-14 Sec. 6 Twp. 3 S Range 34 W County Norton State KANSAS  
Test Approved By Kirt Talbott Diamond Representative Wilbur Steinbeck

Formation Test No. 4 Interval Tested from 3580 ft. to 3690 ft. Total Depth 3690 ft.  
Packer Depth 3575 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
Packer Depth 3580 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 3564 ft. Recorder Number 5965 Cap. 5,000 P.S.I.  
Bottom Recorder Depth (Outside) 3581 ft. Recorder Number 5446 Cap. 5,000 P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEMICAL Viscosity 59 Drill Collar Length 0 ft. I.D. 2 1/4 in.  
Weight 9.3 Water Loss 7.2 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.  
Chlorides 1100 P.P.M. Drill Pipe Length 3555 ft. I.D. 3 1/2 in.  
Jars: Make STERLING Serial Number 07 Test Tool Length 25 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? No Reversed Out No Anchor Length 110 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: Surface blow No Return  
2nd Open: No Blow/Flushed tool then Surface blow No Return

Recovered <u>15</u> ft. of <u>Mud</u>	
Recovered <u>15</u> ft. of <u>Total Fluid</u>	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	110 Miles RT
Remarks: <u>Shale Packer Used</u>	Price Job
Tool Sample <u>Mud</u>	Other Charges
	Insurance
	Total

Time Set Packer(s) 15:20 A.M. P.M. Time Started Off Bottom 17:20 A.M. P.M. Maximum Temperature 99  
Initial Hydrostatic Pressure..... (A) 1737 P.S.I.  
Initial Flow Period..... Minutes 30 (B) 10 P.S.I. to (C) 12 P.S.I.  
Initial Closed In Period..... Minutes 30 (D) 157 P.S.I.  
Final Flow Period..... Minutes 30 (E) 12 P.S.I. to (F) 21 P.S.I.  
Final Closed In Period..... Minutes 30 (G) 131 P.S.I.  
Final Hydrostatic Pressure..... (H) 1727 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.