



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

Vincent Oil Corporation

**8-28S-23W Ford**

155 N Market Ste 700  
Wichita, KS 67202

**Zimmerman 2-8**

Job Ticket: 51816

**DST#: 2**

ATTN: Tom Dudgeon

Test Start: 2014.07.29 @ 06:05:15

## GENERAL INFORMATION:

Formation: **Penn Lime**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 08:33:30

Time Test Ended: 15:03:45

Test Type: Conventional Bottom Hole (Reset)

Tester: Leal Cason

Unit No: 74

**Interval: 5014.00 ft (KB) To 5100.00 ft (KB) (TVD)**

Reference Elevations: 2493.00 ft (KB)

Total Depth: 5100.00 ft (KB) (TVD)

2482.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 11.00 ft

**Serial #: 6798**

**Inside**

Press@RunDepth: 30.74 psig @ 5015.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.07.29

End Date:

2014.07.29

Last Calib.:

2014.07.29

Start Time: 06:05:16

End Time:

15:03:45

Time On Btm:

2014.07.29 @ 08:32:15

Time Off Btm:


2014.07.29 @ 13:11:00

TEST COMMENT: IF: Strong Blow , BOB in 3 minutes

IS: No Blow Back

FF: Strong Blow , BOB in 30 seconds, GTS in 14 minutes, TSTM, Caught Sample

FS: No Blow Back



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2607.80	110.18	Initial Hydro-static
2	34.50	109.45	Open To Flow (1)
32	26.87	112.10	Shut-In(1)
94	1551.96	114.56	End Shut-In(1)
95	31.88	113.95	Open To Flow (2)
154	30.74	114.31	Shut-In(2)
274	1569.92	118.66	End Shut-In(2)
279	2564.35	116.21	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
0.00	4957 GIP	0.00
50.00	GCM 10%G 90%M	0.70

\* Recovery from multiple tests

## Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

Vincent Oil Corporation

**8-28S-23W Ford**

155 N Market Ste 700  
Wichita, KS 67202

**Zimmerman 2-8**

Job Ticket: 51816

**DST#: 2**

ATTN: Tom Dudgeon

Test Start: 2014.07.29 @ 06:05:15

### Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length: ft

Water Salinity: ppm

Viscosity: 50.00 sec/qt

Cushion Volume: bbl

Water Loss: 8.78 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure: psig

Salinity: 7000.00 ppm

Filter Cake: 0.02 inches

### Recovery Information

Recovery Table

Length ft	Description	Volume bbl
0.00	4957 GIP	0.000
50.00	GCM 10%G 90%M	0.701

Total Length: 50.00 ft      Total Volume: 0.701 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

### Pressure vs. Time

