

DIAMOND TESTING GENERAL REPORT

Jake Fahrenbruch, Tester

Cell: (620) 282-8977 / Office: (800) 542-7313



TEST INFORMATION

Well Name	Parkinson-Gough #1-8
Formation	Lansing "K" 4292'-4322' (4339' TD)
Surface Location	Sec 8-17s-33w-Scott Co-KS
Company Name	Grand Mesa Operating Company
Test Type	Tailpipe Straddle W/J&J
Gauge Name	Inside 5951
Start Test Date	2014/10/23
Start Test Time	23:20:00
Final Test Date	2014/10/24
Final Test Time	03:58:00
Job Number	F338
Contact	Steve Stribling
Site Contact	Kent Matson

TEST RESULTS

Initial flow, surface blow, increased to 1/4" in 10 minutes, blow died in 26 minutes.
Final flow, no blow.

RECOVERED 6' OF MUD

Oil specks in tool, <1% oil, >99% mud

Grand Mesa Operating Company

Start Test Date: 2014/10/23


Final Test Date: 2014/10/24

Parkinson-Gough #1-8

Formation: Lansing "K" 4292'-4322' (4339' TD)

Job Number: F338

DST #3, Lansing "K"





DIAMOND TESTING
 P.O. Box 157
 HOISINGTON, KANSAS 67544
 (800) 542-7313
DRILL-STEM TEST TICKET
 FILE: PAGO1DST3

ON LOCATION:	<u>22:24</u>	<u>10/23</u>
START RECORDERS:	<u>23:20</u>	<u>10/23</u>
STOP RECORDERS:	<u>03:58</u>	<u>10/24</u>

Company GRAND MESA OPERATING COMPANY Lease & Well No. PARKENSON-GOUGH #1-8
 Contractor DUKE DRUG REG #4 Charge to G.M.O.C.
 Elevation 3089' KB Formation LANSING "K" Effective Pay _____ Ft. Ticket No. 1338
 Date 10/24/14 Sec. 8 Twp. 17s Range 33W County SCOTT State KS
 Test Approved By KENT MATSON Diamond Representative JAKE FAHRENBRUCH

Formation Test No. 3 Interval Tested from 4292 ft. to 4322 ft. Total Depth 4339 ft.
 Packer Depth 4287 ft. Size 6 3/4 in. Packer depth 4322 ft. Size 6 3/4 in.
 Packer Depth 4292 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4270 ft. Recorder Number 5957 Cap. 5000 P.S.I.
 Bottom Recorder Depth (Outside) 4293 ft. Recorder Number 11034 Cap. 5000 P.S.I.
 Below Straddle Recorder Depth 4325 ft. Recorder Number 5584 Cap. 5000 P.S.I.
 Mud Type CHEMICAL Viscosity 57 (1" ICM) Drill Collar Length _____ ft. I.D. 2 1/4 in.
 Weight 9.1 Water Loss 8.8 cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.
 Chlorides 7000 P.P.M. Drill Pipe Length 4259 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number #5 J.J. STRADDLE Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? NO Reversed Out NO Anchor Length 30 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2" XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: SURFACE FLOW, IN 10' TO 1/4" IN 10 MIN, DEAD IN 26 MIN.
 2nd Open: NO BLOW.

Recovered 6 ft. of MUD 100' MUD
 Recovered _____ ft. of OIL SPECKS IN TOOL <1% oil, >99% mud
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____


Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges <u>STRADDLE</u>
Remarks: _____	<u>JARS, S. JOINT</u>
	<u>35 MRT (SCOTT CITY)</u>
	Total

Time Set Packer(s) 12:56 A.M. P.M. Time Started Off Bottom 1:11 A.M. P.M. Maximum Temperature 115°F

Initial Hydrostatic Pressure..... (A) 2062 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 5 P.S.I. to (C) 9 P.S.I.
 Initial Closed In Period..... Minutes 15 (D) 871 P.S.I.
 Final Flow Period..... Minutes 15 (E) 9 P.S.I. to (F) 10 P.S.I.
 Final Closed In Period..... Minutes 15 (G) 815 P.S.I. THANKS!
 Final Hydrostatic Pressure..... (H) 2057 P.S.I. Jake & John

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

DST #3, Lansing "K"





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: _____

TIME ON: _____
TIME OFF: _____

Company _____ Lease & Well No. _____
Contractor _____ Charge to _____
Elevation _____ Formation _____ Effective Pay _____ Ft. Ticket No. _____
Date _____ Sec. _____ Twp. _____ S Range _____ W County _____ State **KANSAS**
Test Approved By _____ Diamond Representative _____

Formation Test No. _____ Interval Tested from _____ ft. to _____ ft. Total Depth _____ ft.
Packer Depth _____ ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth _____ ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Depth of Selective Zone Set _____

Top Recorder Depth (Inside) _____ ft. Recorder Number _____ Cap. _____ P.S.I.
Bottom Recorder Depth (Outside) _____ ft. Recorder Number _____ Cap. _____ P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type _____ Viscosity _____ Drill Collar Length _____ ft. I.D. 2 1/4 in.
Weight _____ Water Loss _____ cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.
Chlorides _____ P.P.M. Drill Pipe Length _____ ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number _____ Test Tool Length _____ ft. Tool Size 3 1/2-IF in.
Did Well Flow? _____ Reversed Out _____ Anchor Length _____ ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: _____
2nd Open: _____

Recovered _____ ft. of _____	Price Job Other Charges Insurance Total
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Remarks: _____	

Time Set Packer(s) _____ A.M. P.M. Time Started Off Bottom _____ A.M. P.M. Maximum Temperature _____
Initial Hydrostatic Pressure..... (A) _____ P.S.I.
Initial Flow Period..... Minutes _____ (B) _____ P.S.I. to (C) _____ P.S.I.
Initial Closed In Period..... Minutes _____ (D) _____ P.S.I.
Final Flow Period..... Minutes _____ (E) _____ P.S.I. to (F) _____ P.S.I.
Final Closed In Period..... Minutes _____ (G) _____ P.S.I.
Final Hydrostatic Pressure..... (H) _____ P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.