

# DIAMOND TESTING

## Pressure Survey Report

### General Information

Company Name	BEREXCO LLC	Job Number	M734
Well Name	HT A #1-16	Representative	MIKE COCHRAN
Unique Well ID	SEC.16-23S-32W FINNEY CO.KS.	Well Operator	BEREXCO LLC
Surface Location	SEC.16-23S-32W FINNEY CO.KS.	Report Date	2014/12/06
Field	WILDCAT	Prepared By	MIKE COCHRAN
Well Type	Vertical	Qualified By	EDWIN H. GRIEVES
		Test Unit	NO. 3

### Test Information

Test Type	CONVENTIONAL		
Formation	SEC.16-23S-32W FINNEY CO.KS.		
Test Purpose (AEUB)	Initial Test		
Start Test Date	2014/12/05	Start Test Time	20:50:00
Final Test Date	2014/12/06	Final Test Time	11:10:00
		Well Fluid Type	01 Oil
Gauge Name	0063		
Gauge Serial Number			

### Test Results

Remarks **RECOVERED:**  
~2' VSOSDM ~100% MUD W/ A THIN SCUM OF OIL  
~2' TOTAL FLUID

**TOOL SAMPLE:** ~100% MUD W/ A THIN SCUM OF OIL



**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: HTA1-16DST4

TIME ON: 2050 (12/5)  
TIME OFF: 1110 (12/6)

Company BEREXCO LLC Lease & Well No. HT A #1-16  
Contractor BEREDCO LLC RIG 1 Charge to BEREXCO LLC  
Elevation 2898 GL Formation ST.LOUIS "B" Effective Pay \_\_\_\_\_ Ft. Ticket No. M734  
Date 12/5/2014 Sec. 16 Twp. 23 S Range 32 W County FINNEY State KANSAS  
Test Approved By EDWIN H. GRIEVES Diamond Representative MIKE COCHRAN

Formation Test No. 4 Interval Tested from 4765 ft. to 4790 ft. Total Depth 4790 ft.  
Packer Depth 4760 ft. Size 6 3/4 in. Packer depth NA ft. Size 6 3/4 in.  
Packer Depth 4765 ft. Size 6 3/4 in. Packer depth NA ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 4747 ft. Recorder Number 0063 Cap. 5,000 P.S.I.  
Bottom Recorder Depth (Outside) 4767 ft. Recorder Number E1150 Cap. 5,000 P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEM Viscosity 70 Drill Collar Length 630 ft. I.D. 2 1/4 in.  
Weight 9.2 Water Loss 7.2 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.  
Chlorides 1,600 P.P.M. Drill Pipe Length 4103 ft. I.D. 3 1/2 in.  
Jars: Make STERLING Serial Number 3 Test Tool Length 32 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? NO Reversed Out NO Anchor Length 25 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: NO BLOW (NO BB)  
2nd Open: NO BLOW (NO BB)

Recovered ~2 ft. of VSOSDM ~100% MUD W/ A THIN SCUM OF OIL  
Recovered ~2 ft. of TOTAL FLUID  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
TOOL SAMPLE: <u>~100% MUD W/ A THIN SCUM OF OIL</u>	Total

Time Set Packer(s) 3:00 A.M. <sup>A.M.</sup>/<sub>P.M.</sub> Time Started Off Bottom 7:00 A.M. <sup>A.M.</sup>/<sub>P.M.</sub> Maximum Temperature 116°F

Initial Hydrostatic Pressure..... (A) 2230 P.S.I.  
Initial Flow Period..... Minutes 30 (B) 13 P.S.I. to (C) 14 P.S.I.  
Initial Closed In Period..... Minutes 60 (D) 977 P.S.I.  
Final Flow Period..... Minutes 30 (E) 14 P.S.I. to (F) 16 P.S.I.  
Final Closed In Period..... Minutes 120 (G) 976 P.S.I.  
Final Hydrostatic Pressure..... (H) 2185 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

# HT A #1-16

