


TGT Petroleum Corp
DST #6 Miss 4730-4780
Start Test Date: 2014/12/06
Final Test Date: 2014/12/06

Rice B #3
Formation: Mississippi
Pool: Wildcat
Job Number: K210

Rice B #3



6:00
2014/12/6



JASON MCLEMORE

CELL # 620-617-0527

General Information

Company Name	TGT Petroleum Corp	Job Number	K210
Contact	B Lynn Herrington	Representative	Jason McLemore
Well Name	Rice B #3	Well Operator	TGT Petroleum Corp
Unique Well ID	DST #6 Miss 4730-4780	Prepared By	Jason McLemore
Surface Location	29-27s-18w-Kiowa	Qualified By	Kevin Kessler
Field	Wildcat	Test Unit	6
Well Type	Vertical		

Test Information

Test Type	Drill Stem Test	Representative	Jason McLemore
Formation	Mississippi	Well Operator	TGT Petroleum Corp
Well Fluid Type	01 Oil	Report Date	2014/12/06
Test Purpose (AEUB)	Initial Test	Prepared By	Jason McLemore

Start Test Date	2014/12/06	Start Test Time	06:57:00
Final Test Date	2014/12/06	Final Test Time	15:40:00

Test Results

RECOVERED:

32	Drilling Mud
32	TOTAL FLUID



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: riceb3dst6

TIME ON: 6:57 AM
TIME OFF: 3:40 PM

Company TGT Petroleum Corp Lease & Well No. Rice B #3
Contractor Pickrell #1 Charge to TGT Petroleum Corp
Elevation KB 2209 Formation Mississippi Effective Pay _____ Ft. Ticket No. K210
Date 12-06-14 Sec. 29 Twp. 27 S Range 18 W County Kiowa State KANSAS
Test Approved By Kevin Kessler Diamond Representative Jason McLemore

Formation Test No. 6 Interval Tested from 4730 ft. to 4780 ft. Total Depth 4780 ft.
Packer Depth 4725 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 4730 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4711 ft. Recorder Number 5513 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 4712 ft. Recorder Number 5588 Cap. 5000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type Chemical Viscosity 46 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.1 Water Loss 10.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 8000 P.P.M. Drill Pipe Length 4697 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 6 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
Did Well Flow? No Reversed Out No Anchor Length 50 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. 31' DP in Anchor Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: Strong Blow, BOB in 3 Min., No Blowback

2nd Open: Strong, BOB On Open, Dying Off, No Blowback

Recovered 32 ft. of Drilling Mud
Recovered 32 ft. of TOTAL FLUID
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Remarks: _____	Price Job
_____	Other Charges
_____	Insurance
_____	Total

Time Set Packer(s) 8:48 AM A.M. P.M. Time Started Off Bottom 12:48 PM A.M. P.M. Maximum Temperature 115

Initial Hydrostatic Pressure..... (A) 2295 P.S.I.
Initial Flow Period..... Minutes 60 (B) 19 P.S.I. to (C) 20 P.S.I.
Initial Closed In Period..... Minutes 60 (D) 228 P.S.I.
Final Flow Period..... Minutes 60 (E) 21 P.S.I. to (F) 23 P.S.I.
Final Closed In Period..... Minutes 60 (G) 429 P.S.I.
Final Hydrostatic Pressure..... (H) 2292 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.