



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corp.

21-28s-23w Ford Ks

155 N.Market, Ste. 700
Wichita Ks. 67202

Malone #4-21

Job Ticket: 57871

DST#: 1

ATTN: Ken LeBlanc

Test Start: 2014.11.04 @ 09:50:54

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

6300 ppm

Viscosity: 57.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.19 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 6300.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
82.00	Drig.mud	1.150

Total Length: 82.00 ft

Total Volume: 1.150 bbl

Num Fluid Samples: 0


Num Gas Bombs: 1

Serial #: gp-1

Laboratory Name: Caraway

Laboratory Location: Liberal, KS

Recovery Comments:



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

GAS RATES

Vincent Oil Corp.

21-28s-23w Ford Ks

155 N. Market, Ste. 700
Wichita Ks. 67202

Malone #4-21

Job Ticket: 57871

DST#: 1

ATTN: Ken LeBlanc


Test Start: 2014.11.04 @ 09:50:54

Gas Rates Information

Temperature: 59 (deg F)
Relative Density: 0.65
Z Factor: 0.8

Gas Rates Table

Flow Period	Elapsed Time	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)
1	10	0.50	50.00	434.42
1	10	0.50	50.00	434.42
1	20	0.50	55.00	468.15
1	30	0.50	55.00	468.15
2	10	0.50	60.00	501.88
2	20	0.50	63.00	522.12
2	30	0.50	63.00	522.12
2	40	0.50	63.00	522.12
2	50	0.50	63.00	522.12
2	60	0.50	62.00	515.37



Serial #: 8370

Inside

Vincent Oil Corp.

Malone #4-21

DST Test Number: 1

