



DRILL STEM TEST REPORT

Prepared For: **American Warrior, Inc**

PO Box 399
Garden City, KS 67846

ATTN: Jason Alm

Anslover #1-29

29-18s-21w Ness,KS

Start Date: 2014.12.03 @ 11:00:00

End Date: 2014.12.03 @ 18:44:30

Job Ticket #: 60987 DST #: 1

Trilobite Testing, Inc
1515 Commerce Parkway Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2014.12.10 @ 10:03:37



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

American Warrior, Inc
 PO Box 399
 Garden City, KS 67846
 ATTN: Jason Alm

29-18s-21w Ness,KS

Anslover #1-29

Job Ticket: 60987

DST#: 1

Test Start: 2014.12.03 @ 11:00:00

GENERAL INFORMATION:

Formation: **Fort Scott**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 15:16:00

Time Test Ended: 18:44:30

Test Type: Conventional Bottom Hole (Initial)

Tester: Phillip Gage

Unit No: 70

Interval: 4125.00 ft (KB) To 4190.00 ft (KB) (TVD)

Reference Elevations: 2162.00 ft (KB)

Total Depth: 4190.00 ft (KB) (TVD)

2154.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 8.00 ft

Serial #: 8700 Outside

Press@RunDepth: 25.35 psig @ 4126.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.12.03

End Date:

2014.12.03

Last Calib.:

2014.12.03

Start Time: 11:00:05

End Time:

18:44:29

Time On Btm:


2014.12.03 @ 15:15:30

Time Off Btm:

2014.12.03 @ 16:29:00

TEST COMMENT: 30-IF-Built to 1 1/4"
 30-ISI-Surface Return, started at 8 mins
 10-FF-Surface blow, Pulled tool.
 FSI-N/A

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2059.80	102.27	Initial Hydro-static
1	20.00	101.91	Open To Flow (1)
30	25.35	102.85	Shut-In(1)
61	48.41	103.95	End Shut-In(1)
61	26.90	103.96	Open To Flow (2)
71	25.57	104.31	Shut-In(2)
74	2039.35	107.03	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
15.00	VSGOCM, 5%g, 5%o, 90%m	0.07
0.00	GIP-30'	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior, Inc

29-18s-21w Ness,KS

PO Box 399
Garden City, KS 67846

Anslover #1-29

Job Ticket: 60987

DST#: 1

ATTN: Jason Alm

Test Start: 2014.12.03 @ 11:00:00

Tool Information

Drill Pipe:	Length: 4087.00 ft	Diameter: 3.80 inches	Volume: 57.33 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.75 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 80000.00 lb
			<u>Total Volume: 57.48 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	22.00 ft			String Weight: Initial 60000.00 lb
Depth to Top Packer:	4125.00 ft			Final 60000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	65.00 ft			
Tool Length:	94.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4097.00	
Shut In Tool	5.00			4102.00	
Hydraulic tool	5.00			4107.00	
Jars	5.00			4112.00	
Safety Joint	3.00			4115.00	
Packer	5.00			4120.00	29.00 Bottom Of Top Packer
Packer	5.00			4125.00	
Stubb	1.00			4126.00	
Recorder	0.00	8018	Inside	4126.00	
Recorder	0.00	8700	Outside	4126.00	
Perforations	28.00			4154.00	
Change Over Sub	1.00			4155.00	
Drill Pipe	31.00			4186.00	
Change Over Sub	1.00			4187.00	
Bullnose	3.00			4190.00	65.00 Bottom Packers & Anchor

Total Tool Length: 94.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior, Inc

29-18s-21w Ness, KS

PO Box 399
Garden City, KS 67846

Anslover #1-29

Job Ticket: 60987

DST#: 1

ATTN: Jason Alm

Test Start: 2014.12.03 @ 11:00:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.19 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 4900.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
15.00	VSGOCM, 5%g, 5%o, 90%m	0.074
0.00	GIP-30'	0.000

Total Length: 15.00 ft Total Volume: 0.074 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:




Serial #: 8018

Inside

American Warrior, Inc

Anslover #1-29

DST Test Number: 1



Tribble Testing, Inc

Ref. No: 60987

Printed: 2014.12.10 @ 10:03:39



DRILL STEM TEST REPORT

Prepared For: **American Warrior, Inc**

PO Box 399
Garden City, KS 67846

ATTN: Jason Alm

Anslover #1-29

29-18s-21w Ness,KS

Start Date: 2014.12.04 @ 03:47:00

End Date: 2014.12.04 @ 12:38:00

Job Ticket #: 60988 DST #: 2

Trilobite Testing, Inc
1515 Commerce Parkway Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2014.12.10 @ 10:03:15



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

American Warrior, Inc
PO Box 399
Garden City, KS 67846
ATTN: Jason Alm

29-18s-21w Ness,KS

Anslover #1-29

Job Ticket: 60988

DST#: 2

Test Start: 2014.12.04 @ 03:47:00

GENERAL INFORMATION:

Formation: **Miss**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 07:36:30
 Time Test Ended: 12:38:00
 Interval: **4249.00 ft (KB) To 4264.00 ft (KB) (TVD)**
 Total Depth: 4264.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: Phillip Gage
 Unit No: 70
 Reference Elevations: 2162.00 ft (KB)
 2154.00 ft (CF)
 KB to GR/CF: 8.00 ft


Serial #: 8700

Outside

Press@RunDepth: 48.99 psig @ 4250.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2014.12.04 End Date: 2014.12.04 Last Calib.: 2014.12.04
 Start Time: 03:47:05 End Time: 12:38:00 Time On Btm: 2014.12.04 @ 07:35:30
 Time Off Btm: 2014.12.04 @ 10:37:30

TEST COMMENT: 45-IF-Built to 4"
 45-ISI-No Return
 45-FF-Built to 2 1/4"
 45-FSI-No Return

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2138.69	103.81	Initial Hydro-static
1	32.53	104.68	Open To Flow (1)
46	39.52	110.76	Shut-In(1)
91	1165.65	111.26	End Shut-In(1)
92	42.05	111.09	Open To Flow (2)
136	48.99	113.90	Shut-In(2)
181	1086.99	114.61	End Shut-In(2)
182	2151.26	114.87	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
65.00	SOWCM, 10%o, 40%w, 50%m	0.63
15.00	O, 100%o	0.21

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior, Inc
PO Box 399
Garden City, KS 67846
ATTN: Jason Alm

29-18s-21w Ness, KS
Anslover #1-29
Job Ticket: 60988 **DST#: 2**
Test Start: 2014.12.04 @ 03:47:00

Tool Information

Drill Pipe:	Length: 4212.00 ft	Diameter: 3.80 inches	Volume: 59.08 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.75 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 68000.00 lb
			<u>Total Volume: 59.23 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	23.00 ft			String Weight: Initial 60000.00 lb
Depth to Top Packer:	4249.00 ft			Final 60000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	15.00 ft			
Tool Length:	44.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
-------------------------	--------------------	-------------------	-----------------	-------------------	-----------------------

Change Over Sub	1.00			4221.00	
Shut In Tool	5.00			4226.00	
Hydraulic tool	5.00			4231.00	
Jars	5.00			4236.00	
Safety Joint	3.00			4239.00	
Packer	5.00			4244.00	29.00 Bottom Of Top Packer
Packer	5.00			4249.00	
Stubb	1.00			4250.00	
Recorder	0.00	8018	Inside	4250.00	
Recorder	0.00	8700	Outside	4250.00	
Perforations	11.00			4261.00	
Bullnose	3.00			4264.00	15.00 Bottom Packers & Anchor

Total Tool Length: 44.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior, Inc

29-18s-21w Ness, KS

PO Box 399
Garden City, KS 67846

Anslover #1-29

Job Ticket: 60988

DST#: 2

ATTN: Jason Alm

Test Start: 2014.12.04 @ 03:47:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

42 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

40000 ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.19 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 4900.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
65.00	SOWCM, 10%o, 40%w, 50%m	0.629
15.00	O, 100%o	0.210

Total Length: 80.00 ft Total Volume: 0.839 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: .3 @ 46 degrees = 40,000 Salinity







DRILL STEM TEST REPORT

Prepared For: **American Warrior, Inc**

PO Box 399
Garden City, KS 67846

ATTN: Jason Alm

Anslover #1-29

29-18s-21w Ness,KS

Start Date: 2014.12.04 @ 16:58:00

End Date: 2014.12.05 @ 01:40:00

Job Ticket #: 60989 DST #: 3

Trilobite Testing, Inc
1515 Commerce Parkway Hays, KS 67601
ph: 785-625-4778 fax: 785-625-5620

Printed: 2014.12.10 @ 10:02:38



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

American Warrior, Inc
 PO Box 399
 Garden City, KS 67846
 ATTN: Jason Alm

29-18s-21w Ness,KS

Anslover #1-29

Job Ticket: 60989

DST#: 3

Test Start: 2014.12.04 @ 16:58:00

GENERAL INFORMATION:

Formation: **Miss**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 20:38:30
 Time Test Ended: 01:40:00
 Interval: **4262.00 ft (KB) To 4272.00 ft (KB) (TVD)**
 Total Depth: 4272.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: Phillip Gage
 Unit No: 70
 Reference Elevations: 2162.00 ft (KB)
 2154.00 ft (CF)
 KB to GR/CF: 8.00 ft


Serial #: 8700

Outside

Press@RunDepth: 91.02 psig @ 4263.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2014.12.04 End Date: 2014.12.05 Last Calib.: 2014.12.05
 Start Time: 16:58:05 End Time: 01:40:00 Time On Btm: 2014.12.04 @ 20:38:00
 Time Off Btm: 2014.12.04 @ 23:40:00

TEST COMMENT: 45-IF-Built to 9"
 45-ISI-No Return
 45-FF-Built to 6"
 45-FSI-No Return

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2160.41	103.39	Initial Hydro-static
1	18.24	103.29	Open To Flow (1)
46	58.79	109.38	Shut-In(1)
91	1213.13	112.13	End Shut-In(1)
91	60.23	111.56	Open To Flow (2)
136	91.02	116.65	Shut-In(2)
181	1178.08	118.33	End Shut-In(2)
182	2093.38	118.48	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
126.00	SMCW, 10% m, 90% w	1.49
15.00	MCW, 30% m, 70% w	0.21

* Recovery from multiple tests

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

TOOL DIAGRAM

American Warrior, Inc
PO Box 399
Garden City, KS 67846
ATTN: Jason Alm

29-18s-21w Ness, KS
Anslover #1-29
Job Ticket: 60989 **DST#: 3**
Test Start: 2014.12.04 @ 16:58:00

Tool Information

Drill Pipe:	Length: 4213.00 ft	Diameter: 3.80 inches	Volume: 59.10 bbl	Tool Weight: 2500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 2.75 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 31.00 ft	Diameter: 2.25 inches	Volume: 0.15 bbl	Weight to Pull Loose: 62000.00 lb
			<u>Total Volume: 59.25 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	11.00 ft			String Weight: Initial 60000.00 lb
Depth to Top Packer:	4262.00 ft			Final 60000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	10.00 ft			
Tool Length:	39.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4234.00	
Shut In Tool	5.00			4239.00	
Hydraulic tool	5.00			4244.00	
Jars	5.00			4249.00	
Safety Joint	3.00			4252.00	
Packer	5.00			4257.00	29.00 Bottom Of Top Packer
Packer	5.00			4262.00	
Stubb	1.00			4263.00	
Recorder	0.00	8018	Inside	4263.00	
Recorder	0.00	8700	Outside	4263.00	
Perforations	6.00			4269.00	
Bullnose	3.00			4272.00	10.00 Bottom Packers & Anchor

Total Tool Length: 39.00



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

American Warrior, Inc

29-18s-21w Ness,KS

PO Box 399
Garden City, KS 67846

Anslover #1-29

Job Ticket: 60989

DST#: 3

ATTN: Jason Alm

Test Start: 2014.12.04 @ 16:58:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

36000 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.19 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 5300.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
126.00	SMCW, 10%m, 90%w	1.485
15.00	MCW, 30%m, 70%w	0.210

Total Length: 141.00 ft Total Volume: 1.695 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: .4 @ 37 Degrees = 36,000 Salinity




Serial #: 8018

Inside

American Warrior, Inc

Anslover #1-29

DST Test Number: 3



Trilobite Testing, Inc

Ref. No: 60989

Printed: 2014.12.10 @ 10:02:39



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO. 60987

Well Name & No. Anslover #1-29 Test No. 1 Date 12-3-14
 Company American Warrior, Inc Elevation 2162 KB 2154 GL
 Address 3118 Lamonts RD P.O. Box 399 Garden City, KS 67846
 Co. Rep / Geo. Jason Alm Rig Discovery Rig 3
 Location: Sec. 29 Twp. 18s Rge. 21w Co. Ness State KS

Interval Tested 4125-4190 Zone Tested Fort Scott
 Anchor Length 65' Drill Pipe Run 4087 Mud Wt. 9.4
 Top Packer Depth 4120 Drill Collars Run 31 Vis 50
 Bottom Packer Depth 4125 Wt. Pipe Run 0 WL 7.2
 Total Depth 4190 Chlorides 4,900 ppm System LCM 1

Blow Description IF Blow to 1 1/4"
ISL Surface Return started at 8mks
FF Surface Blow, Pulled Tool
FSE N/A

Rec	Feet of	%gas	%oil	%water	%mud
<u>15'</u>	<u>VSGOLM</u>	<u>5</u>	<u>5</u>	<u>90</u>	
<u>0</u>	<u>OIP-30'</u>	<u>100</u>			


Rec Total 15' BHT 107 Gravity — API RW @ °F Chlorides — ppm

(A) Initial Hydrostatic 2,059 Test 1250 T-On Location 09:26
 (B) First Initial Flow 20 Jars 250 T-Started 11:00
 (C) First Final Flow 25 Safety Joint 75 T-Open 15:16
 (D) Initial Shut-In 48 Circ Sub _____ T-Pulled 16:26
 (E) Second Initial Flow 26 Hourly Standby _____ T-Out 18:45
 (F) Second Final Flow _____ Mileage 104 RT 161.20
 (G) Final Shut-In _____ Sampler _____
 (H) Final Hydrostatic 2,039 Straddle _____

Initial Open 30 Ruined Shale Packer _____
 Initial Shut-In 30 Ruined Packer _____
 Final Flow 10, Pulled Tool Extra Packer _____
 Final Shut-In _____ Extra Recorder _____
 Sub Total 0
 Total 1736.20
 Sub Total 1736.20 Day Standby _____
 MP/DST Disc't _____
 Accessibility _____

Approved By _____ Our Representative Wally Rose Thank You

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO. 60988

4/10

Well Name & No. Anslaver #1-29 Test No. 2 Date 12-4-14
 Company American Warrior, Inc Elevation 2162 KB 2154 GL
 Address 3118 Cummins RD P.O. Box 399 Garden City, KS 67846
 Co. Rep / Geo. Jason Alon Rig Discovery Rig 3
 Location: Sec. 29 Twp. 18S Rge. 21W Co. Ness State KS

Interval Tested 4249-4264 Zone Tested Miss
 Anchor Length 15' Drill Pipe Run 4212 Mud Wt. 9.4
 Top Packer Depth 4241 Drill Collars Run 31 Vis 50
 Bottom Packer Depth 4249 Wt. Pipe Run 0 WL 7.2
 Total Depth 4264 Chlorides 4,900 ppm System LCM 1

Blow Description IF Built to 4'
ISF No Return
FF- Built to 2 1/4
FSF No Return

Rec	Feet of	%gas	%oil	%water	%mud
<u>65'</u>	<u>SOWCM</u>	<u>10</u>	<u>40</u>	<u>50</u>	
<u>15'</u>	<u>0</u>	<u>100</u>			

Rec Total 80' BHT 115 Gravity 42 API RW 3 @ 46 °F Chlorides 40,000 ppm

(A) Initial Hydrostatic 2138 Test 1250 T-On Location 03:23
 (B) First Initial Flow 32 Jars 250 T-Started 03:47
 (C) First Final Flow 39 Safety Joint 75 T-Open 07:37
 (D) Initial Shut-In 1,165 Circ Sub _____ T-Pulled 10:37
 (E) Second Initial Flow 42 Hourly Standby _____ T-Out 12:39
 (F) Second Final Flow 48 Mileage 104 RT 161.20 Comments _____
 (G) Final Shut-In 1,086 Sampler _____
 (H) Final Hydrostatic 2,151 Straddle _____ Ruined Shale Packer _____
 Shale Packer _____ Ruined Packer _____

Initial Open 45 Extra Packer _____ Extra Copies _____
 Initial Shut-In 45 Extra Recorder _____ Sub Total 0
 Final Flow 45 Day Standby _____ Total 1736.20
 Final Shut-In 45 Accessibility _____ MP/DST Disc't _____
 Sub Total 1736.20

Approved By _____ Our Representative Phillip Jay Thank You.

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



TRILOBITE TESTING INC.

1515 Commerce Parkway • Hays, Kansas 67601

Test Ticket

NO. 60989

Well Name & No. Anslover #1-29 Test No. 3 Date 12-4-14
 Company American Warrior, Inc Elevation 2162 KB 2154 GL
 Address 3118 Cummings RD P.O. Box 399 Garden City, KS 67846
 Co. Rep / Geo. Jason Alm Rig Discovery Rig 3
 Location: Sec. 29 Twp. 18S Rge. 21W Co. Ness State KS

Interval Tested 4262-4272 Zone Tested Miss
 Anchor Length 10' Drill Pipe Run 4213 Mud Wt. 9.3
 Top Packer Depth 4257 Drill Collars Run 31 Vis 48
 Bottom Packer Depth 4262 Wt. Pipe Run 0 WL 7.2
 Total Depth 4272 Chlorides 5,300 ppm System LCM 1

Blow Description IF- Buite to 9"
ISI- No Return
FF- Buite to 6"
FSI- No Return

Rec	Feet of	%gas	%oil	%water	%mud
<u>126'</u>	<u>SMCW</u>		<u>90</u>	<u>10</u>	
<u>15'</u>	<u>MCW</u>		<u>70</u>	<u>30</u>	
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 141' BHT 118 Gravity — API RW 1.4 @ 37° F Chlorides 36,000 ppm

(A) Initial Hydrostatic 2,160 Test 1250 T-On Location 16:47
 (B) First Initial Flow 18 Jars 250 T-Started 16:58
 (C) First Final Flow 58 Safety Joint 75 T-Open 20:39
 (D) Initial Shut-In 1,213 Circ Sub _____ T-Pulled 23:39
 (E) Second Initial Flow 60 Hourly Standby _____ T-Out 01:40
 (F) Second Final Flow 91 Mileage 104 RT 161.20 Comments _____
 (G) Final Shut-In 1,178 Sampler _____
 (H) Final Hydrostatic 2,093 Straddle _____ Ruined Shale Packer _____
 Shale Packer _____ Ruined Packer _____

Initial Open 45 Extra Packer _____ Extra Copies _____
 Initial Shut-In 45 Extra Recorder _____ Sub Total 0
 Final Flow 45 Day Standby _____ Total 1736.20
 Final Shut-In 45 Accessibility _____ MP/DST Disc't _____
 Sub Total 1736.20

Approved By _____ Our Representative Phil Rog Thank You!

Trilobite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.