


Polzin-Fyler Unit #1-22





Hoisington, Kansas


Michael Carroll
620-617-0368
carroll.dtlc@gmail.com

General Information

Company Name L.D. Drilling Inc

Contact L.D. Davis
Well Name Polzin-Fyler Unit #1-22
Unique Well ID Dst #2 Lower L/KC 3323-3380'
Surface Location Sec22-18s-14w Barton County
Field Laud Southwest
Well Type Vertical
Test Type Drill Stem Test
Well Operator L.D. Drilling Inc

Formation Dst #2 Lower L/KC 3323-3380'
Well Fluid Type 01 Oil
Test Purpose Initial Test
Start Test Date 2015/04/16
Start Test Time 23:03:00
Final Test Time 03:41:00
Job Number P0070
Report Date 2015/04/16
Prepared By Michael Carroll



TEST RECOVERY

Remarks Recovery: 183' Mud 100%M

Total Fluid: 183'

Tool Sample: 100%M With A Few Oil Specks



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: PolzinFylerUnit1-22Dst2

TIME ON: 2303 4-15
TIME OFF: 0341 4-16

Company L.D. Drilling Inc Lease & Well No. Polzin-Fyler Unit #1-22
Contractor Petromark Rig 2 Charge to L.D. Drilling Inc
Elevation 1912KB Formation _____ Lower L/KC Effective Pay _____ Ft. Ticket No. P0070
Date 4-16-15 Sec. 22 Twp. _____ 18 S Range _____ 14 W County _____ Barton State KANSAS
Test Approved By Kurt Talbott Diamond Representative _____ Michael Carroll

Formation Test No. 2 Interval Tested from 3323 ft. to 3380 ft. Total Depth 3380 ft.
Packer Depth 3318 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 3323 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3311 ft. Recorder Number 5950 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 3360 ft. Recorder Number 0230 Cap. 5000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type Chem Viscosity 53 Drill Collar Length 123 ft. I.D. 2 1/4 in.
Weight 9.4 Water Loss 9.6 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 6100 P.P.M. Drill Pipe Length 3173 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number NA Test Tool Length 27 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 57(25.5a) ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WSB-DIED IN 7 MINUTES **NOBB**
2nd Open: NO BLOW-ATTEMPTED TO FLUSH TOOL AND UNSEATED PACKERS

Recovered 183 ft. of MUD 100%M
Recovered 183 ft. of TOTAL FLUID
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Remarks: _____	Price Job
TOOL SAMPLE: 100%M WITH A FEW OIL SPECKS	Other Charges
	Insurance
	Total

Time Set Packer(s) 12:54A.M. ^{A.M.}/_{P.M.} Time Started Off Bottom 1:54A.M. ^{A.M.}/_{P.M.} Maximum Temperature 101
Initial Hydrostatic Pressure..... (A) 1608 P.S.I.
Initial Flow Period..... Minutes 30 (B) 13 P.S.I. to (C) 15 P.S.I.
Initial Closed In Period..... Minutes 30 (D) 43 P.S.I.
Final Flow Period..... Minutes _____ (E) _____ P.S.I. to (F) _____ P.S.I.
Final Closed In Period..... Minutes _____ (G) _____ P.S.I.
Final Hydrostatic Pressure..... (H) 1607 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.