



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Vincent Oil Corp.

34-28s-23w Ford Ks.

155 N. Market, Ste. 700
Wichita Ks. 67202

Keough#3-34

Job Ticket: 59741

DST#: 5

ATTN: Tom Dudgeon

Test Start: 2015.02.03 @ 13:58:18

GENERAL INFORMATION:

Formation: **Miss.**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 16:04:18

Time Test Ended: 23:18:03

Test Type: Conventional Bottom Hole (Reset)

Tester: Gary Pevoteaux

Unit No: 80

Interval: 5243.00 ft (KB) To 5258.00 ft (KB) (TVD)

Reference Elevations: 2539.00 ft (KB)

Total Depth: 5258.00 ft (KB) (TVD)

2527.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 12.00 ft

Serial #: 8352 Outside

Press @ Run Depth: 135.09 psig @ 5244.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2015.02.03

End Date: 2015.02.03

Last Calib.: 2015.02.03

Start Time: 13:58:23


End Time: 23:18:03

Time On Btm: 2015.02.03 @ 16:02:33

Time Off Btm: 2015.02.03 @ 20:38:18

TEST COMMENT: IF: Strong blow . B.O.B in 2 mins.
IS: Weak blow . 2".
FF: Strong blow . B.O.B. in 1 min. GTS in 12 mins. TSTM
FS: Weak to fair blow . 3 - 5".

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2656.01	107.15	Initial Hydro-static
2	44.46	107.09	Open To Flow (1)
32	70.41	109.12	Shut-In(1)
90	1477.38	111.80	End Shut-In(1)
91	81.86	111.34	Open To Flow (2)
148	135.09	114.68	Shut-In(2)
272	1471.38	116.70	End Shut-In(2)
276	2575.25	115.21	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
100.00	CGO 20%g 80%o	1.40
120.00	GMCO 36%g 26%m 38%o	1.68
120.00	GOCM 38%g 22%o 40%m	1.68

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Vincent Oil Corp.
 155 N. Market, Ste. 700
 Wichita Ks. 67202
 ATTN: Tom Dudgeon

34-28s-23w Ford Ks.
Keough#3-34
 Job Ticket: 59741 **DST#: 5**
 Test Start: 2015.02.03 @ 13:58:18

GENERAL INFORMATION:

Formation: **Miss.**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 16:04:18
 Time Test Ended: 23:18:03
 Interval: **5243.00 ft (KB) To 5258.00 ft (KB) (TVD)**
 Total Depth: 5258.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Reset)
 Tester: Gary Pevoteaux
 Unit No: 80
 Reference Elevations: 2539.00 ft (KB)
 2527.00 ft (CF)
 KB to GR/CF: 12.00 ft


Serial #: 8370

Inside

Press @ Run Depth: psig @ 5244.00 ft (KB)
 Start Date: 2015.02.03 End Date: 2015.02.03
 Start Time: 13:53:35 End Time: 23:10:00
 Capacity: 8000.00 psig
 Last Calib.: 2015.02.03
 Time On Btm:
 Time Off Btm:

TEST COMMENT: IF: Strong blow . B.O.B in 2 mins.
 IS: Weak blow . 2".
 FF: Strong blow . B.O.B. in 1 min. GTS in 12 mins. TSTM
 FS: Weak to fair blow . 3 - 5".

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
100.00	CGO 20%g 80%o	1.40
120.00	GMCO 36%g 26%m 38%o	1.68
120.00	GOCM 38%g 22%o 40%m	1.68

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corp.

34-28s-23w Ford Ks.

155 N. Market, Ste. 700
Wichita Ks. 67202

Keough#3-34

Job Ticket: 59741

DST#: 5

ATTN: Tom Dudgeon

Test Start: 2015.02.03 @ 13:58:18

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

35.8 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

10800 ppm

Viscosity: 55.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.99 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 10800.00 ppm

Filter Cake: 0.20 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
100.00	CGO 20%g 80%o	1.403
120.00	GMCO 36%g 26%m 38%o	1.683
120.00	GOCM 38%g 22%o 40%m	1.683

Total Length: 340.00 ft

Total Volume: 4.769 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:



Serial #: 8370

Inside

Vincent Oil Corp.

Keough#3-34

DST Test Number: 5

