


Kats 'A' 1-14 DST 1





Diamond Testing General Report

Wilbur Steinbeck
TESTER
CELL: 620-282-1573

General Information

Company Name	Transpacific Oil Corp	Alex Chapin	Job Number	W177
Contact		Kats 'A' 1-14	Representative	Wilbur Steinbeck
Well Name		DST 1 Lower Topeka 3033-3086	Well Operator	Sheilds
Unique Well ID		14-6s-18w Rooks/Kans	Report Date	2015/03/22
Surface Location		Wildcat	Prepared By	Wilbur Steinbeck
Field			Qualified By	Alex Chapin

Test Information

Test Type	Conventional		
Formation	Lower Topeka		
Well Fluid Type	01 Oil		
Test Purpose (AEUB)	Initial Test		
Start Test Date	2015/03/22	Start Test Time	10:50:00
Final Test Date	2015/03/22	Final Test Time	15:57:00

Test Recovery

Recovery 5' Mud
 5' Total Fluid

Tool Sample Mud



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: Kats 'A' 1-14 DST 1

TIME ON: 10:50
TIME OFF: 15:57

Company Transpacific Oil Corp Lease & Well No. Kats 'A' 1-14
Contractor Sheilds Rig 1 Charge to Transpacific
Elevation 1951 KB Formation Lower Topeka Effective Pay _____ Ft. Ticket No. W177
Date 3-22-15 Sec. 14 Twp. 6 S Range 18 W County Rooks State KANSAS
Test Approved By Alex Diamond Representative Wilbur Steinbeck

Formation Test No. 1 Interval Tested from 3033 ft. to 3086 ft. Total Depth 3086 ft.
Packer Depth 3028 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 3033 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3019 ft. Recorder Number 5446 Cap. 5000 P.S.I.
Bottom Recorder Depth (Outside) 3034 ft. Recorder Number 5965 Cap. 5,000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type Chem Viscosity 55 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.2 Water Loss 6.0 cc. Weight Pipe Length 341 ft. I.D. 2 7/8 in.
Chlorides 1300 P.P.M. Drill Pipe Length 2664 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 7 Test Tool Length 28 ft. Tool Size 3 1/2-IF in.
Did Well Flow? No Reversed Out No Anchor Length 53 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: Surface Blow No Return
2nd Open: No Blow No Return

Recovered 5 ft. of Mud
Recovered 5 ft. of Total Fluid
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Recovered _____ ft. of _____	Insurance
Remarks: <u>Tool Sample Mud</u>	Total

Time Set Packer(s) 12:40 A.M. P.M. Time Started Off Bottom 14:40 A.M. P.M. Maximum Temperature 90

Initial Hydrostatic Pressure..... (A) 1430 P.S.I.
Initial Flow Period..... Minutes 30 (B) 8 P.S.I. to (C) 15 P.S.I.
Initial Closed In Period..... Minutes 30 (D) 1010 P.S.I.
Final Flow Period..... Minutes 30 (E) 18 P.S.I. to (F) 23 P.S.I.
Final Closed In Period..... Minutes 30 (G) 969 P.S.I.
Final Hydrostatic Pressure..... (H) 1414 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.