



**TRILOBITE TESTING, INC.**

# DRILL STEM TEST REPORT

Berexco LLC  
 2020 N Bramblewood  
 Wichita KS 67206  
 ATTN: Bryan Bynog

**28 1S 36W Rawlins KS**

**Moser C 6-28**

Job Ticket: 65066

**DST#: 1**

Test Start: 2015.06.27 @ 09:15:00

## GENERAL INFORMATION:

Formation: **LKC "A"**  
 Deviated: No Whipstock: ft (KB)  
 Time Tool Opened: 11:36:30  
 Time Test Ended: 18:31:30  
 Interval: **4170.00 ft (KB) To 4270.00 ft (KB) (TVD)**  
 Total Depth: 4270.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Fair  
 Test Type: Conventional Bottom Hole (Initial)  
 Tester: Robert Zodrow  
 Unit No: 66  
 Reference Elevations: 3305.00 ft (KB)  
 3294.00 ft (CF)  
 KB to GR/CF: 11.00 ft


## Serial #: 6741

Inside

Press @ Run Depth: 170.13 psig @ 4171.00 ft (KB) Capacity: 8000.00 psig  
 Start Date: 2015.06.27 End Date: 2015.06.27 Last Calib.: 2015.06.27  
 Start Time: 09:15:05 End Time: 18:31:30 Time On Btm: 2015.06.27 @ 11:35:30  
 Time Off Btm: 2015.06.27 @ 16:37:00

TEST COMMENT: 30-IS- Blow built to 3 1/8"  
 60-IS- No return  
 90-FF- Blow started in 20 mins built to 3/12"  
 120-FS- No return

## PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2094.88	126.30	Initial Hydro-static
1	19.52	126.61	Open To Flow (1)
32	67.04	131.14	Shut-In(1)
90	1271.63	131.10	End Shut-In(1)
91	72.84	130.80	Open To Flow (2)
180	170.13	135.74	Shut-In(2)
301	1228.34	136.75	End Shut-In(2)
302	2040.44	136.40	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
230.00	MUD w ith oil spots	1.13

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Berexco LLC

**28 1S 36W Rawlins KS**

2020 N Bramblewood  
Wichita KS 67206

**Moser C 6-28**

Job Ticket: 65066

**DST#: 1**

ATTN: Bryan Bynog

Test Start: 2015.06.27 @ 09:15:00

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 62.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.00 in<sup>3</sup>

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 600.00 ppm

Filter Cake: 2.00 inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
230.00	MUD with oil spots	1.131

Total Length: 230.00 ft      Total Volume: 1.131 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

