

# DIAMOND TESTING, LLC

TESTER : TIM VENTERS  
CELL # 620-388-6333

## General Information

Company Name	TRANS PACIFIC OIL CORPORATION	Job Number	T555
Contact	BRYCE BIDLEMAN	Representative	TIM VENTERS
Well Name	YOUNKIN D #1-1	Well Operator	TRANS PACIFIC OIL CORPORATION
Unique Well ID	DST #6, JOHNSON, 4266-4354	Report Date	2016/08/21
Surface Location	SEC 1-14S-34W, LOGAN CO. KS.	Prepared By	TIM VENTERS
Well License Number			
Field	WILDCAT		
Well Type	Vertical		

## Test Information

Test Type	CONVENTIONAL
Formation	DST #6, JOHNSON, 4266-4354
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2016/08/21	Start Test Time	02:05:00
Final Test Date	2016/08/21	Final Test Time	09:08:00

Gauge Name	5504
------------	------

## Test Results


RECOVERED: 5' DRILLING MUD


TOOL SAMPLE: 100% DRILLING MUD

TRANS PACIFIC OIL CORPORATION  
DST #6, JOHNSON, 4266-4354  
Start Test Date: 2016/08/21  
Final Test Date: 2016/08/21

YOUNKIN D #1-1  
Formation: DST #6, JOHNSON, 4266-4354  
Pool: WILDCAT  
Job Number: T555

# YOUNKIN D #1-1





**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: YOUNKIND1-1DST6

TIME ON: 02:05  
TIME OFF: 09:08

Company TRANS PACIFIC OIL CORPORATION Lease & Well No. YOUNKIN #1-1  
Contractor PICKERELL DRILLING CO., INC. RIG #10 Charge to TRANS PACIFIC OIL CORPORATION  
Elevation 2803 KB Formation JOHNSON Effective Pay \_\_\_\_\_ Ft. Ticket No. T555  
Date 8-21-16 Sec. 1 Twp. 14 S Range 34 W County LOGAN State KANSAS  
Test Approved By BRAD RINE Diamond Representative TIM VENTERS

Formation Test No. 6 Interval Tested from 4266 ft. to 4354 ft. Total Depth 4354 ft.  
Packer Depth 4261 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
Packer Depth 4266 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_  
Top Recorder Depth (Inside) 4252 ft. Recorder Number 5504 Cap. 5,000 P.S.I.  
Bottom Recorder Depth (Outside) 4334 ft. Recorder Number 5514 Cap. 5,000 P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEMICAL Viscosity 52 Drill Collar Length 0 ft. I.D. 2 1/4 in.  
Weight 9.4 Water Loss 9.2 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.  
Chlorides 4,500 P.P.M. Drill Pipe Length 4238 ft. I.D. 3 1/2 in.  
Jars: Make STERLING Serial Number SFTY. JT. Test Tool Length 28 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? NO Reversed Out NO Anchor Length 26 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. <sup>62' DP IN ANCHOR</sup> Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK SURFACE BLOW BUILDING TO 1/4 INCH. (NO BB)  
2nd Open: NO BLOW THROUGHOUT PERIOD. (NO BB)

Recovered <u>5</u> ft. of <u>DRILLING MUD</u>	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	
Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
TOOL SAMPLE: 100% DRILLING MUD	Total

Time Set Packer(s) 3:58 AM A.M. P.M. Time Started Off Bottom 7:13 AM A.M. P.M. Maximum Temperature 115 deg.  
Initial Hydrostatic Pressure..... (A) 2073 P.S.I.  
Initial Flow Period..... Minutes 30 (B) 10 P.S.I. to (C) 11 P.S.I.  
Initial Closed In Period..... Minutes 60 (D) 265 P.S.I.  
Final Flow Period..... Minutes 15 (E) 12 P.S.I. to (F) 12 P.S.I.  
Final Closed In Period..... Minutes 90 (G) 289 P.S.I.  
Final Hydrostatic Pressure..... (H) 2067 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.