

# DIAMOND TESTING, LLC

TESTER : TIM VENTERS  
CELL # 620-388-6333

## General Information

Company Name	L.D. DRILLING, INC.	Job Number	T547
Contact	MARILYN DAVIS	Representative	TIM VENTERS
Well Name	CRAIG MEYERS #2-26	Well Operator	L.D. DRILLING, INC.
Unique Well ID	DST #1, FT. SCOTT, 4364-4428	Report Date	2016/08/08
Surface Location	SEC 26-17S-24W, NESS CO. KS.	Prepared By	TIM VENTERS
Well License Number			
Field	MINER		
Well Type	Vertical		

## Test Information

Test Type	CONVENTIONAL
Formation	DST #1, FT. SCOTT, 4364-4428
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2016/08/08	Start Test Time	06:34:00
Final Test Date	2016/08/08	Final Test Time	13:22:00


Gauge Name	5504
------------	------

## Test Results

RECOVERED: 30' MUD

TOOL SAMPLE: OIL SPOTS, 100% MUD

# CRAIG MEYERS #2-26





**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: CRAIGMEYERS2-26DST1

TIME ON: 06:34  
TIME OFF: 13:22

Company L.D. DRILLING, INC. Lease & Well No. CRAIG MEYERS #2-26  
Contractor L.D. DRILLING, INC. RIG #1 Charge to L.D. DRILLING, INC.  
Elevation 2461 KB Formation FT. SCOTT Effective Pay \_\_\_\_\_ Ft. Ticket No. T547  
Date 8-8-16 Sec. 26 Twp. \_\_\_\_\_ 17 S Range \_\_\_\_\_ 24 W County NESS State KANSAS  
Test Approved By KIM SHOEMAKER Diamond Representative TIM VENTERS

Formation Test No. 1 Interval Tested from 4364 ft. to 4428 ft. Total Depth 4428 ft.  
Packer Depth 4359 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
Packer Depth 4364 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 4345 ft. Recorder Number 5504 Cap. 5,000 P.S.I.  
Bottom Recorder Depth (Outside) 4425 ft. Recorder Number 11029 Cap. 5,025 P.S.I.  
Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEMICAL Viscosity 46 Drill Collar Length \_\_\_\_\_ ft. I.D. 2 1/4 in.  
Weight 9.4 Water Loss 12 cc. Weight Pipe Length \_\_\_\_\_ ft. I.D. 2 7/8 in.  
Chlorides 7,000 P.P.M. Drill Pipe Length 4331 ft. I.D. 3 1/2 in.  
Jars: Make STERLING Serial Number 4 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? NO Reversed Out NO Anchor Length 32 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. <sup>32' DP IN ANCHOR</sup> Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK SURFACE BLOW, BUILDING TO 1 INCH. (NO BB)  
2nd Open: VERY WEAK SURFACE BLOW, BUILDING TO 1/4 INCH. (NO BB)

Recovered 30 ft. of DRILLING MUD  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Remarks: _____	Price Job
_____	Other Charges
_____	Insurance
TOOL SAMPLE: OIL SPOTS, 100% MUD	Total

Time Set Packer(s) 9:36 AM A.M. P.M. Time Started Off Bottom 11:36 AM A.M. P.M. Maximum Temperature 116 deg.

Initial Hydrostatic Pressure..... (A) 2086 P.S.I.  
Initial Flow Period..... Minutes 30 (B) 12 P.S.I. to (C) 22 P.S.I.  
Initial Closed In Period..... Minutes 30 (D) 957 P.S.I.  
Final Flow Period..... Minutes 30 (E) 21 P.S.I. to (F) 26 P.S.I.  
Final Closed In Period..... Minutes 30 (G) 444 P.S.I.  
Final Hydrostatic Pressure..... (H) 2091 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.