







**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Becker Oil Corporation

**25-32S-23W Clark**

PO Box 1150  
Ponca City OK 74601

**Harrington 1**

Job Ticket: 55404

**DST#: 3**

ATTN: Clyde Becker

Test Start: 2016.08.04 @ 20:46:21

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

82000 ppm

Viscosity: 56.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.19 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 7400.00 ppm

Filter Cake: 0.02 inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
0.00	4829 GIP	0.000
117.00	GOMCW 10%G 10%O 12%M 68%W	0.575
123.00	GWMCO 10%G 10%W 40%M 40%O	1.725

Total Length: 240.00 ft      Total Volume: 2.300 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW w as .095 @ 70 degrees



Serial #: 6806

Outside Becker Oil Corporation

Harrington 1

DST Test Number: 3

