



TRILOBITE TESTING, INC

DRILL STEM TEST REPORT

Dixon Operating Co
 8100 E 22nd St N Bldg 300 Ste 200
 Wichita, KS 67226
 ATTN: Chuck Schmaltz


34-22S-12W Stafford
Pound 2-34
 Job Ticket: 57957 **DST#: 1**
 Test Start: 2016.10.21 @ 15:10:15

GENERAL INFORMATION:

Formation: **Viola**
 Deviated: No Whipstock: ft (KB)
 Test Type: Conventional Bottom Hole (Initial)
 Time Tool Opened: 17:04:30 Tester: Leal Cason
 Time Test Ended: 22:54:45 Unit No: 74
 Interval: **3557.00 ft (KB) To 3648.00 ft (KB) (TVD)** Reference Elevations: 1843.00 ft (KB)
 Total Depth: 3648.00 ft (KB) (TVD) 1832.00 ft (CF)
 Hole Diameter: 7.88 inches Hole Condition: Good KB to GR/CF: 11.00 ft

Serial #: 8159 Inside
 Press@RunDepth: 92.83 psig @ 3558.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2016.10.21 End Date: 2016.10.21 Last Calib.: 2016.10.21
 Start Time: 15:10:16 End Time: 22:54:45 Time On Btm: 2016.10.21 @ 17:03:30
 Time Off Btm: 2016.10.21 @ 21:04:30

TEST COMMENT: IF: Weak Blow , Built to 3 inches
 IS: No Blow Back
 FF: Fair Blow , Built to 5 inches
 FS: No Blow Back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1834.48	105.60	Initial Hydro-static
1	27.57	105.24	Open To Flow (1)
31	50.16	105.57	Shut-In(1)
91	1098.24	106.91	End Shut-In(1)
92	59.83	106.54	Open To Flow (2)
152	92.83	107.54	Shut-In(2)
241	1030.87	108.57	End Shut-In(2)
241	1771.81	108.77	Final Hydro-static


Recovery

Length (ft)	Description	Volume (bbl)
0.00	150 GIP	0.00
125.00	SOSM - 1%O +99%M	0.61

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

Pressure vs. Time




Serial #: 6806

Outside Dixon Operating Co

Round 2-34

DST Test Number: 1



Trilobite Testing, Inc

Ref. No: 57957

Printed: 2016.10.22 @ 08:02:59