



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

Gore Oil Company  
202 S.St. Francis  
PO Box 2757  
Wichita Ks 67202-4518  
ATTN: Pat Canaday, Chuck Sc


**12-8s-17w Rooks**  
**Chesney Unit #406**  
Job Ticket: 63063 **DST#: 4**  
Test Start: 2016.08.15 @ 15:45:19

## GENERAL INFORMATION:

Formation: **LKC H-I**  
Deviated: No Whipstock: ft (KB)  
Time Tool Opened: 17:27:14  
Time Test Ended: 22:04:13  
Interval: **3192.00 ft (KB) To 3245.00 ft (KB) (TVD)**  
Total Depth: 3245.00 ft (KB) (TVD)  
Hole Diameter: 7.85 inches Hole Condition: Fair  
Test Type: Conventional Bottom Hole (Reset)  
Tester: Ray Schwager  
Unit No: 77  
Reference Elevations: 1960.00 ft (KB)  
1952.00 ft (CF)  
KB to GR/CF: 8.00 ft

**Serial #: 8018** **Inside**  
Press@RunDepth: 25.06 psig @ 3194.00 ft (KB) Capacity: 8000.00 psig  
Start Date: 2016.08.15 End Date: 2016.08.15 Last Calib.: 2016.08.15  
Start Time: 15:45:19 End Time: 22:04:13 Time On Btm: 2016.08.15 @ 17:25:44  
Time Off Btm: 2016.08.15 @ 20:33:43

TEST COMMENT: 30-IFP-vy w k surface bl , died in 16min  
60-ISIP-no bl  
30-FFP-no bl  
60-FSIP-no bl



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1536.57	98.45	Initial Hydro-static
2	21.01	98.03	Open To Flow (1)
32	25.32	98.14	Shut-In(1)
91	296.18	98.77	End Shut-In(1)
91	23.54	98.68	Open To Flow (2)
122	25.06	98.96	Shut-In(2)
183	193.71	99.49	End Shut-In(2)
188	1518.63	100.04	Final Hydro-static

## Recovery


Length (ft)	Description	Volume (bbl)
5.00	Mud w / show of oil	0.02

\* Recovery from multiple tests

## Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)






Serial #: 8700

Outside Gore Oil Company

Chesney Unit #406

DST Test Number: 4



Trilobite Testing, Inc

Ref. No: 63063

Printed: 2016.08.16 @ 07:08:26