



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Slawson Exploration Co., Inc.

26/5s/36w Rawlins KS

204 N. Robinson Ave.
STE 2300
Oklahoma City, OK 73102
ATTN: Pete Debenham

Faber #1-26

Job Ticket: 62695

DST#: 2

Test Start: 2016.09.28 @ 22:00:00

GENERAL INFORMATION:

Formation: **Pawnee**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 23:46:30

Time Test Ended: 05:09:15

Test Type: Conventional Bottom Hole (Reset)

Tester: James Winder

Unit No: 83

Interval: 4577.00 ft (KB) To 4617.00 ft (KB) (TVD)

Reference Elevations: 3368.00 ft (KB)

Total Depth: 4617.00 ft (KB) (TVD)

3363.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 5.00 ft

Serial #: 6625

Inside

Press@RunDepth: 78.10 psig @ 4578.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2016.09.28

End Date:

2016.09.29

Last Calib.:

2016.09.29

Start Time: 22:00:05

End Time:

05:09:14


Time On Btm:

2016.09.28 @ 23:46:15

Time Off Btm:

2016.09.29 @ 03:20:30

TEST COMMENT: 30 - IF: Blow built to 7"
45 - IS: No blow back
45 - FF: Blow started at 3 min., built to 9"
90 - FS: No blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2309.36	128.28	Initial Hydro-static
1	18.48	127.10	Open To Flow (1)
31	54.24	130.69	Shut-In(1)
76	1220.57	134.20	End Shut-In(1)
77	62.35	134.19	Open To Flow (2)
122	78.10	138.44	Shut-In(2)
214	1195.21	138.95	End Shut-In(2)
215	2142.67	139.19	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
121.00	MO 49%o, 48%m, 3%g	0.60
7.00	MCO 68%o,m 26%m, 6%g	0.10
30.00	Oil 94%o, 4%g, 2%m	0.42
0.00	GIP = 150'	0.00

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC**

DRILL STEM TEST REPORT

FLUID SUMMARY

Slawson Exploration Co., Inc.

26/5s/36w Rawlins KS

204 N. Robinson Ave.
STE 2300
Oklahoma City, OK 73102
ATTN: Pete Debenham

Faber #1-26

Job Ticket: 62695

DST#: 2

Test Start: 2016.09.28 @ 22:00:00

Mud and Cushion Information

Mud Type: Gel Chem
Mud Weight: 9.00 lb/gal
Viscosity: 51.00 sec/qt
Water Loss: 7.98 in³
Resistivity: ohm.m
Salinity: 2300.00 ppm
Filter Cake: 1.00 inches

Cushion Type:
Cushion Length: ft
Cushion Volume: bbl
Gas Cushion Type:
Gas Cushion Pressure: psig

Oil API: 27.4 deg API
Water Salinity: ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
121.00	MO 49%o, 48%m, 3%g	0.595
7.00	MCO 68%o,m 26%m, 6%g	0.098
30.00	Oil 94%o, 4%g, 2%m	0.421
0.00	GIP = 150'	0.000

Total Length: 158.00 ft Total Volume: 1.114 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: Gravity = 26.8 api @ 54 deg F
Corrected Gravity = 27.4 api

Pressure vs. Time

