


Skolout Trust #1-15





Michael Carroll
 620-617-0368
 carroll.dtlc@gmail.com


Hoisington, Kansas

General Information

Company Name Gulf Exploration LLC

Contact Pat McGraw
Well Name Skolout Trust #1-15
Unique Well ID Dst #4 Pawnee 4527-4565'
Surface Location Sec 15-7s-35w Thomas County
Field Wildcat
Well Type Vertical
Test Type Drill Stem Test
Well Operator Gulf Exploration LLC

Formation Dst #4 Pawnee 4527-4565'
Well Fluid Type 06 Water
Test Purpose Initial Test
Start Test Date 2017/02/15
Start Test Time 01:45:00
Final Test Time 11:10:00
Job Number P0163
Report Date 2017/02/15
Prepared By Michael Carroll



TEST RECOVERY

Remarks	Recovery:	365'	MW	51%W	49%M
		252'	SLOCMW	2%O	68%W 30%M
		1008'	OCCMW	5%O	88%W 7%M
		1134'	SLOCSLMCW	2%O	96%W 2%M

Total Fluid: 2759'

Sampler Recovery: 4000ML Water
 PSI: 180

Chlorides 60000 PPM
RW .1 @ 79 Degrees
PH 7



DIAMOND TESTING
 P.O. Box 157
HOISINGTON, KANSAS 67544
 (800) 542-7313

TIME ON: 0145
 TIME OFF: 1110

DRILL-STEM TEST TICKET
 FILE: SKOLOUTTRUST1-15DST4

Company GULF EXPLORATION LLC Lease & Well No. SCOLOUT TRUST #1-15
 Contractor MURFIN DRLG RIG 7 Charge to GULF EXPLORATION LLC
 Elevation 3309 KB Formation PAWNEE Effective Pay _____ Ft. Ticket No. P0163
 Date 2-15-17 Sec. 15 Twp. 7 S Range 35 W County THOMAS State KANSAS
 Test Approved By KEITH REAVIS Diamond Representative Michael Carroll

Formation Test No. 4 Interval Tested from 4527 ft. to 4565 ft. Total Depth 4565 ft.
 Packer Depth 4521 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 4527 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4511 ft. Recorder Number 5950 Cap. 5000 P.S.I.
 Bottom Recorder Depth (Outside) 4531 ft. Recorder Number 0230 Cap. 5000 P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type Chem Viscosity 57 Drill Collar Length 187 ft. I.D. 2 1/4 in.
 Weight 9.0 Water Loss 7.7 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 1200 P.P.M. Drill Pipe Length 4303 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number 11 Test Tool Length 37 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? NO Reversed Out NO Anchor Length 38 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: 5" BLOW-BUILT TO BOB IN 50 SECONDS 1/4" BB
 2nd Open: 5" BLOW-BUILT TO BOB IN 1 MINUTE 05 SECONDS WSBB

Recovered 365 ft. of MW 51%W 49%M CHLORIDES 60000 PPM
 Recovered 252 ft. of SLOCMW 2%O 68%W 30%M RW .1 @ 60 DEGREES
 Recovered 1008 ft. of OCMCW 5%O 88%W 7%M PH 7

Recovered <u>1134</u> ft. of <u>SLOCSLMCW 2%O 96%W 2%M</u>	
Recovered <u>2759</u> ft. of <u>TOTAL FLUID</u>	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: <u>SAMPLER RECOVERY: 4000 ML WATER</u>	Insurance
<u>PSI: 180</u>	Total

Time Set Packer(s) 4:40 A.M. A.M. P.M. Time Started Off Bottom 7:50 A.M. A.M. P.M. Maximum Temperature 141

Initial Hydrostatic Pressure..... (A) 2148 P.S.I.
 Initial Flow Period..... Minutes 10 (B) 455 P.S.I. to (C) 783 P.S.I.
 Initial Closed In Period..... Minutes 60 (D) 1433 P.S.I.
 Final Flow Period..... Minutes 30 (E) 829 P.S.I. to (F) 1329 P.S.I.
 Final Closed In Period..... Minutes 90 (G) 1426 P.S.I.
 Final Hydrostatic Pressure..... (H) 2134 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.