


Trans Pacific Oil Corp
Start Test Date: 2017/06/05
Final Test Date: 2017/06/05

McMannis 'B' Unit #1-34
Formation: DST #1, Lansing A&B, 3937'-3974'
DST #1, McMannis 'B' Unit #1-34, Lansing A&B, 3937'-3974' Job Number: F478





DIAMOND TESTING
 P.O. Box 157
 HOISINGTON, KANSAS 67544
 (800) 542-7313
DRILL-STEM TEST TICKET
 FILE: MCMANNIS BID 571

ON LOCATION:	<u>00:25</u>
START RECORDERS:	<u>01:40</u>
STOP RECORDERS:	<u>09:49</u>

Company TRANS PACIFIC OIL CORP Lease & Well No. MCMANNIS 'B' UNIT #1-34
 Contractor STERLING DRLE. REG #4 Charge to T.P.O.C.
 Elevation 2066' KB Formation LANSING A & B Effective Pay _____ Ft. Ticket No. F478
 Date 6-5-17 Sec. 34 Twp. 26 S Range 15 W County PRAIT State KS
 Test Approved By BRYCE BEDREMAN Diamond Representative JAKE FAHRENBRUCH

Formation Test No. 1 Interval Tested from 3937 ft. to 3974 ft. Total Depth 3974 ft.
 Packer Depth 3932 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 3937 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3939 ft. Recorder Number 5951 Cap. 6000 P.S.I.
 Bottom Recorder Depth (Outside) 3940 ft. Recorder Number 5586 Cap. 6000 P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 51 (4# LCM) Drill Collar Length 210 ft. I.D. 2 1/4 in.
 Weight 9.0 Water Loss 9.0 cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.
 Chlorides 2000 P.P.M. Drill Pipe Length 3698 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number #5 S.J. Test Tool Length 23 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? _____ Reversed Out _____ Anchor Length 37 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. ALL PERFE Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: BOB IN 15 SECONDS. No BB.
 2nd Open: BOB IN 6 SECONDS. No GTS. No BB.

Recovered 60 ft. of GCOM 15" gas, 30" oil, 55" mud
 Recovered 60 ft. of GC SMC OCM 10" gas, 20" oil, 2" wtr, 68" mud

Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____

Remarks: TOTAL RECOVERED FLUID: 120
2512' OF GAS IN PIPE
not enough water to check chlorides.
 Price Job _____
 Other Charges _____
SAFETY JOINT
38 MRT (PRAIT)
 Total _____

Time Set Packer(s) 03:45 A.M. P.M. Time Started Off Bottom 07:45 A.M. P.M. Maximum Temperature 116° F

Initial Hydrostatic Pressure (A) 1995 P.S.I.
 Initial Flow Period Minutes 30 (B) 30 P.S.I. to (C) 41 P.S.I.
 Initial Closed In Period Minutes 60 (D) 1089 P.S.I.
 Final Flow Period Minutes 60 (E) 43 P.S.I. to (F) 70 P.S.I.
 Final Closed In Period Minutes 90 (G) 1082 P.S.I. Thanks!
 Final Hydrostatic Pressure (H) 1976 P.S.I. Jake Fahrenbruch

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



DIAMOND TESTING
 P.O. Box 157
 HOISINGTON, KANSAS 67544
 (800) 542-7313

TIME ON: 01:40
 TIME OFF: 09:49

DRILL-STEM TEST TICKET
 FILE: MCMANNISB1DST1

Company Trans Pacific Oil Corp. Lease & Well No. McMannis 'B' Unit #1-34
 Contractor Sterling Drlg. Rig #4 Charge to T.P.O.C.
 Elevation 2066' KB Formation Lansing "A&B" Effective Pay _____ Ft. Ticket No. F478
 Date 6/5/17 Sec. 34 Twp. 26 S Range 15 W County Pratt State KANSAS
 Test Approved By Bryce Bidleman Diamond Representative Jake Fahrenbruch

Formation Test No. 1 Interval Tested from 3937 ft. to 3974 ft. Total Depth 3974 ft.
 Packer Depth 3932 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 3937 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3939 ft. Recorder Number 5951 Cap. 5000 P.S.I.
 Bottom Recorder Depth (Outside) 3940 ft. Recorder Number 5586 Cap. 5000 P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 51 (4# LCM) Drill Collar Length 216 ft. I.D. 2 1/4 in.
 Weight 9.0 Water Loss 9.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 2,000 P.P.M. Drill Pipe Length 3,698 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number #5 Safety Joint Test Tool Length 23 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? ----- Reversed Out ----- Anchor Length 37 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. ALL PERF Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: BOB in 15 seconds. No blowback.
 2nd Open: BOB in 6 seconds. No GTS. No blowback.

Recovered 60 ft. of GCOM 15% gas, 30% oil, 55% mud
 Recovered 60 ft. of GCSWCOCM 10% gas, 20% oil, 2% wtr, 68% mud
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____

Remarks: TOTAL RECOVERED FLUID: 120'
2512' of Gas In Pipe
not enough water to check chlorides.

Time Set Packer(s) 03:45 A.M. P.M. Time Started Off Bottom 07:45 A.M. P.M. Maximum Temperature 116 F

Initial Hydrostatic Pressure..... (A) 1995 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 30 P.S.I. to (C) 41 P.S.I.
 Initial Closed In Period..... Minutes 60 (D) 1089 P.S.I.
 Final Flow Period..... Minutes 60 (E) 43 P.S.I. to (F) 70 P.S.I.
 Final Closed In Period..... Minutes 90 (G) 1082 P.S.I.
 Final Hydrostatic Pressure..... (H) 1976 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.