



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

Dixon Operating Co LLC

**35-23s-11w Stafford**

8100 E.22nd St N  
Bldg 300 Suite 200  
Wichita Ks 67226  
ATTN: TJ Dixon , Chuck Sch

**Arderly #1-35**

Job Ticket: 63965

**DST#: 2**

Test Start: 2017.06.19 @ 17:05:35

## GENERAL INFORMATION:

Formation: **Viola "A"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 18:49:30

Time Test Ended: 00:35:29

Test Type: Conventional Bottom Hole (Reset)

Tester: Ray Schwager

Unit No: 77

**Interval: 3724.00 ft (KB) To 3740.00 ft (KB) (TVD)**

Reference Elevations: 1812.00 ft (KB)

Total Depth: 3740.00 ft (KB) (TVD)

1804.00 ft (CF)

Hole Diameter: 7.85 inches Hole Condition: Fair

KB to GR/CF: 8.00 ft

**Serial #: 8360**

**Inside**

Press@RunDepth: 27.32 psig @ 3725.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2017.06.19

End Date:

2017.06.20

Last Calib.:

2017.06.19

Start Time:

17:05:35

End Time:

00:35:29

Time On Btm:

2017.06.19 @ 18:48:00


Time Off Btm:

2017.06.19 @ 22:51:59

## TEST COMMENT:

30-IFP-BOB in 15sec  
60-ISIP-GTS 2min into ,surface bl bk  
60-FFP-BOB , GTS , to weak to gauge  
90-FSIP-GTS, surface bl bk

Pressure vs. Time



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	1900.49	105.98	Initial Hydro-static
2	33.93	106.98	Open To Flow (1)
31	40.28	100.69	Shut-In(1)
90	415.53	103.37	End Shut-In(1)
91	22.41	103.77	Open To Flow (2)
150	27.32	103.46	Shut-In(2)
240	174.51	106.55	End Shut-In(2)
244	1799.49	110.98	Final Hydro-static

## Recovery


Length (ft)	Description	Volume (bbl)
0.00	GTS	0.00
60.00	GMO 25%G30%M45%O	0.84

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

\* Recovery from multiple tests





Serial #: 6751

Outside Dixon Operating Co LLC

Ardery #1-35

DST Test Number: 2

