

# DIAMOND TESTING, LLC

TESTER : TIM VENTERS  
CELL # 620-388-6333

## General Information

Company Name	RITCHIE EXLORATION, INC.	Job Number	T609
Contact	JUSTIN CLEGG	Representative	TIM VENTERS
Well Name	SCHROEDER 22C #1	Well Operator	RITCHIE EXPLORATION, INC.
Unique Well ID	DST #1, OREAD, 3997-4020	Report Date	2017/05/18
Surface Location	SEC 22-15S-36W, LOGAN CO. KS.	Prepared By	TIM VENTERS
Well License Number			
Field	WILDCAT		
Well Type	Vertical		

## Test Information

Test Type	CONVENTIONAL
Formation	DST #1, OREAD, 3997-4020
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2017/05/18	Start Test Time	00:55:00
Final Test Date	2017/05/18	Final Test Time	08:42:00

Gauge Name	5504
------------	------


## Test Results

RECOVERED: 65' SMCW W/TR. O, TRACE OIL < 1%, 84% WATER, 16% MUD  
305' SMCW, 97% WATER, 3% MUD  
370' TOTAL FLUID

TOOL SAMPLE: TRACE OIL < 1%, 88% WATER, 12% MUD

CHLORIDES: 42,000 ppm  
PH: 6.0  
RW: .21 @ 68 deg

# SCHROEDER 22C #1





**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: SCHROEDER22C1DST1

TIME ON: 00:55  
TIME OFF: 08:42

Company RITCHIE EXPLORATION, INC. Lease & Well No. SCHROEDER 22C #1  
Contractor WW DRILLING, LLC RIG #10 Charge to RITCHIE EXPLORATION, INC.  
Elevation 3304 KB Formation OREAD Effective Pay \_\_\_\_\_ Ft. Ticket No. T609  
Date 5-18-17 Sec. 22 Twp. \_\_\_\_\_ 15 S Range \_\_\_\_\_ 36 W County LOGAN State KANSAS  
Test Approved By MAX LOVELY Diamond Representative TIM VENTERS

Formation Test No. 1 Interval Tested from 3997 ft. to 4020 ft. Total Depth 4020 ft.

Packer Depth 3992 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.

Packer Depth 3997 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 3978 ft. Recorder Number 5504 Cap. 5,000 P.S.I.

Bottom Recorder Depth (Outside) 4017 ft. Recorder Number 13819 Cap. 5,025 P.S.I.

Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_ P.S.I.

Mud Type CHEMICAL Viscosity 58 Drill Collar Length 118 ft. I.D. 2 1/4 in.

Weight 8.7 Water Loss 6.4 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in

Chlorides 3,000 P.P.M. Drill Pipe Length 3846 ft. I.D. 3 1/2 in

Jars: Make STERLING Serial Number 4 Test Tool Length 33 ft. Tool Size 3 1/2-IF in

Did Well Flow? NO Reversed Out NO Anchor Length 23 ft. Size 4 1/2-FH in

Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in

Blow: 1st Open: WEAK 1/4 INCH BLOW, BUILDING, REACHING BOB 28 MIN. (NO BB)

2nd Open: WEAK SURFACE BLOW, BUILDING, REACHING BOB 36 MIN. (NO BB)

Recovered 65 ft. of SMCW W/TR. O, TRACE OIL < 1%, 84% WATER, 16% MUD

Recovered 305 ft. of SMCW, 97% WATER, 3% MUD

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_ CHLORIDES: 42,000 ppm Price Job

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_ PH: 6.0 Other Charges

Remarks: \_\_\_\_\_ RW: .21 @ 68 deg. Insurance

TOOL SAMPLE: TRACE OIL <1%, 88% WATER, 12% MUD Total

Time Set Packer(s) 3:19 AM A.M. P.M. Time Started Off Bottom 6:19 AM A.M. P.M. Maximum Temperature 114 deg.

Initial Hydrostatic Pressure..... (A) 1887 P.S.I.

Initial Flow Period..... Minutes 30 (B) 14 P.S.I. to (C) 101 P.S.I.

Initial Closed In Period..... Minutes 45 (D) 1065 P.S.I.

Final Flow Period..... Minutes 45 (E) 105 P.S.I. to (F) 177 P.S.I.

Final Closed In Period..... Minutes 60 (G) 1053 P.S.I.

Final Hydrostatic Pressure..... (H) 1887 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.