

Company: Ritchie Exploration,

Inc.

Lease: Seymour-Morrill #1

SEC: 2 TWN: 22S RNG: 18W

County: PAWNEE State: Kansas

Drilling Contractor: Sterling Drilling

Company - Rig 5 Elevation: 2043 EGL Field Name: Eddy NW

Pool: Infield Job Number: 55

DATE September 11 2017

DST #3 Formation: Cherokee "A" Test Interval: 4092 -

Total Depth: 4121'

4121'

Time On: 17:31 09/11 Time Off: 00:06 09/12

Time On Bottom: 19:52 09/11 Time Off Bottom: 21:52 09/11

Electronic Volume Estimate:


0'

1st Open Minutes: 30 0" at 30 min

1st Close Minutes: 30 0" at 30 min

2nd Open Minutes: 30 0" at 30 min

2nd Close Minutes: 30 0" at 30 min





Company: Ritchie Exploration,

Inc.

Lease: Seymour-Morrill #1

SEC: 2 TWN: 22S RNG: 18W

County: PAWNEE State: Kansas

Drilling Contractor: Sterling Drilling

Company - Rig 5 Elevation: 2043 EGL Field Name: Eddy NW

Pool: Infield Job Number: 55

DATE September 11 2017

DST #3 Formation: Cherokee "A" Test Interval: 4092 -

Total Depth: 4121'

0

4121'

Time On: 17:31 09/11 Time Off: 00:06 09/12

Time On Bottom: 19:52 09/11 Time Off Bottom: 21:52 09/11

Recovered

<u>Foot</u>	BBLS	
10	0.0548	

Description of Fluid Μ

<u>Gas %</u> 0

<u>Oil %</u> Water % 0

Mud % 100

Total Recovered: 10 ft


Total Barrels Recovered: 0.0548

Close / Final Close

Reversed Out
NO

Initial Hydrostatic Pressure	1948	PSI
Initial Flow	12 to 17	PSI
Initial Closed in Pressure	35	PSI
Final Flow Pressure	17 to 29	PSI
Final Closed in Pressure	40	PSI
Final Hydrostatic Pressure	1940	PSI
Temperature	113	°F
Pressure Change Initial	0.0	%

Recovery at a glance





Company: Ritchie Exploration, SEC: 2 TWN: 22S RNG: 18W County: PAWNEE

Inc.

DST #3

Lease: Seymour-Morrill #1

State: Kansas

Drilling Contractor: Sterling Drilling

Company - Rig 5 Elevation: 2043 EGL Field Name: Eddy NW

Pool: Infield Job Number: 55

DATE September

> 11 2017

Formation: Cherokee "A" Test Interval: 4092 -

Total Depth: 4121'

4121'

Time On: 17:31 09/11

Time Off: 00:06 09/12

Time On Bottom: 19:52 09/11 Time Off Bottom: 21:52 09/11

REMARKS:

IF: Surface blow

ISI: No BB

FF: Surface blow after we flushed tool 8 min into period.

FSI: No BB

TOOL SAMPLE: 100% MUD



Company: Ritchie Exploration, SEC: 2 TWN: 22S County: PAWNEE

Inc.

Lease: Seymour-Morrill #1

SEC: 2 TWN: 22S RNG: 18W

State: Kansas

Drilling Contractor: Sterling Drilling

Company - Rig 5 Elevation: 2043 EGL Field Name: Eddy NW

Pool: Infield Job Number: 55

5/8"

Bottom Choke:

DATE September

11 2017 DST#3 Test Interval: 4092 -Total Depth: 4121' Formation: Cherokee "A" 4121'

Time On: 17:31 09/11 Time Off: 00:06 09/12

Time On Bottom: 19:52 09/11 Time Off Bottom: 21:52 09/11

Down Hole Makeup

Heads Up: 11.46 FT Packer 1: 4087 FT

Drill Pipe: 3855.14 FT Packer 2: 4092 FT

ID-3 1/4 Top Recorder: 4076.42 FT

Weight Pipe: 0 FT **Bottom Recorder:** 4094 FT

ID-2 7/8 Well Bore Size:

7 7/8 Collars: 215.75 FT

Surface Choke: 1" ID-2 3/8

Test Tool: 33.57 FT

ID-3 1/2-FH Jars

Safety Joint

Total Anchor: 29

Anchor Makeup

1 FT

Packer Sub: Perforations: (top): 0 FT

4 1/2-FH

Change Over: 0 FT

Drill Pipe: (in anchor): 0 FT

ID-3 1/4

Change Over: 0 FT

Perforations: (below): 28 FT

4 1/2-FH



Company: Ritchie Exploration, SEC: 2 TWN: 22S RNG: 18W County: PAWNEE

Inc.

Lease: Seymour-Morrill #1

State: Kansas

Drilling Contractor: Sterling Drilling

Company - Rig 5 Elevation: 2043 EGL Field Name: Eddy NW

Pool: Infield Job Number: 55

DATE September

11 2017 **DST #3**

Formation: Cherokee "A" Test Interval: 4092 -

Total Depth: 4121'

4121'

Time On: 17:31 09/11 Time Off: 00:06 09/12

Time On Bottom: 19:52 09/11 Time Off Bottom: 21:52 09/11

Mud Properties

Mud Type: Chemical Weight: 9.4 Viscosity: 67 Filtrate: 8.8 Chlorides: 5,100 ppm