



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Pioneer Oil Co Inc
400 Main St Box 237
Vincennes IN 47501-0237
ATTN: Wyatt Urban

27 6s 26w Sherdian KS
Ficken 1-27
Job Ticket: 64517 **DST#: 2**
Test Start: 2018.03.20 @ 17:22:00

Mud and Cushion Information


Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	53000 ppm
Viscosity: 50.00 sec/qt	Cushion Volume: bbl		
Water Loss: 7.60 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 2500.00 ppm			
Filter Cake: 2.50 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	MCW 30% m 70% w Oil Spots	0.220

Total Length: 30.00 ft Total Volume: 0.220 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments: Sanpler-- 2000ml Water .214 @ 33 = 78000ppm 200psi.....
 .290 @ 35




Serial #: 8960

Outside Pioneer Oil Co Inc

Ficken 1-27

DST Test Number: 2



Triobite Testing, Inc

Ref. No: 64517

Printed: 2018.03.21 @ 07:23:57