









**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

## FLUID SUMMARY

Staab Oil Company

**7-8s-18w Rooks, KS**

1607 Hopewell RD  
Hays Kansas 76701

**Haines West #1**

Job Ticket: 63437

**DST#: 3**

ATTN: Janel Staab

Test Start: 2018.05.10 @ 13:37:39

### Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

33 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 49.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.80 in<sup>3</sup>

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3200.00 ppm

Filter Cake: inches

### Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
677.00	GSMCO 10%G 85%O 5%M	6.626
0.00	646' GIP	0.000

Total Length: 677.00 ft

Total Volume: 6.626 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: LCM- 1#

Serial #: 6771


Inside

Staab Oil Company

Haines West #1

DST Test Number: 3

### Pressure vs. Time



Serial #: 6753

Outside Staab Oil Company

Haines West#1

DST Test Number: 3

