



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Gore Oil Company
202 South Saint Francis
P.O. Box 2757
Wichita, KS 67202-4518
ATTN: Ed Chesney/Chuck Sch

10/9S/19W Rooks, KS
Barc Unit #1
Job Ticket: 63820 **DST#: 2**
Test Start: 2018.10.03 @ 08:20:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 61.00 sec/qt	Cushion Volume: bbl		
Water Loss: 6.00 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 2200.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
140.00	Slight oil cut mud 1% O & 99% M	0.688
0.00	50' GIP	0.000


Total Length: 140.00 ft Total Volume: 0.688 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:

Serial #: 8369

Outside Gore Oil Company

Barc Unit #1

DST Test Number: 2




Serial #: 8846

Inside

Gore Oil Company

Barc Unit #1

DST Test Number: 2



Triobite Testing, Inc

Ref. No: 63820

Printed: 2018.10.03 @ 16:34:30